

Active Recombinant Human CD200R1 protein, His-hFc-tagged

Cat. No. CD200R1-3254H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human CD200R1 protein(AAI43394.1)(Met 1-Leu 266) was expressed in HEK293, fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.
Species	Human
Source	HEK293
ProteinLength	1-266 aa
Form	Lyophilized from sterile PBS, pH 7.4.
Bio-activity	Measured by its binding ability in a functional ELISA. Immobilized recombinant human CD200 at 1 µg/ml (100ul/well) can bind human CD200R1 / Fc Chimera with a linear range of 0.12-16 ng/ml.
Molecular Mass	The secreted recombinant human CD200R1/Fc is a disulfide-linked homodimeric protein. The reduced monomer comprises 488 amino acids and has a predicted molecular mass of 54.9 kDa. As a result of glycosylation, rh CD200R1/Fc monomer migrates as an approximately 90-100 kDa band in SDS-PAGE under reducing conditions.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	> 94 % as determined by SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
protein Refseq-Weblink	http://www.ncbi.nlm.nih.gov/protein/NP_620161.1
Unit ID	Q8TD46
Unit ID-Weblink	https://www.uniprot.org/uniprotkb/Q8TD46
GENE INFORMATION	
Gene Name	CD200R1 CD200 receptor 1 [Homo sapiens]
Official Symbol	CD200R1
Synonyms	CD200R1; CD200 receptor 1; MOX2 receptor, MOX2R; cell surface glycoprotein CD200 receptor 1; CD200R; HCRT2; OX2R; MOX2 receptor; CD200 cell surface glycoprotein receptor; cell surface glycoprotein OX2 receptor 1; cell surface glycoprotein receptor CD200; MOX2R;
Gene ID	131450
mRNA Refseq	NM_138806
protein Refseq	NP_620161

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM

607546

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA