

Recombinant Human TIMP Metalloproteinase Inhibitor 2

Cat. No. TIMP2-2887H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TIMP2 is expressed in Sf9 cells. TIMP-2 shows a protein band with a molecular weight of 21-kDa (nonreduced) or 24-kDa (reduced) on SDS-polyacrylamide gel electrophoresis.
Species	Human
Source	Sf9 Cells
Description	The tissue Inhibitor of Metalloproteinases (TIMP) belongs to a family which takes part in the activation and regulation of the MMP-activity: TIMP-1, a 28-kDa glycoprotein; TIMP-2, a 21-kDa glycoprotein and the N-glycosylated TIMP-3 (27-kDa, reduced SDS-PAGE). TIMP-4 is thought to function in a tissue-specific fashion in the ECM hemostasis. These proteins are expressed in a variety of cell types and form with latent as well as with active MMPs non-covalent, stoichiometric complexes. Progelatinase B and the activated gelatinase B specifically bind TIMP-1 via their C-terminal domain. Purified TIMP-2 inhibits the activities of stromelysin 1 (MMP-3), matrilysin (MMP-7), gelatinase A (MMP-2) and the interstitial collagenase (MMP-1). On the MMP-2 the TIMP displays two distinct binding sites.
Form	Liquid, in 50 mM Tris-HCl, pH 7; 200 mM NaCl, 5 mM CaCl ₂ , 1 μM ZnCl ₂ , 0.05% Brij 35, 0.05% NaN ₃ .
Purity	homogenous by electrophoresis and western blotting analysis.
Specific Activity	It is recommended to perform a pre-incubation of about 20 min 37°C which allows the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

formation of the enzyme-inhibitor complex.

Stability And Storage

The protein can be kept stored at -70°C for month, at -20°C for several weeks and at 4°C for 1 week without significant loss of inhibitory activity. Repeated freezing and thawing must be avoided.


GENE INFORMATION

Gene Name	TIMP2 TIMP metallopeptidase inhibitor 2 [Homo sapiens]
Synonyms	TIMP2; TIMP metallopeptidase inhibitor 2; CSC-21K; tissue inhibitor of metalloproteinase 2; tissue inhibitor of metalloproteinases 2; TIMP-2
Gene ID	7077
mRNA Refseq	NM_003255
Protein Refseq	NP_003246
MIM	188825
UniProt ID	P16035
Chromosome Location	17q25
Function	enzyme activator activity; enzyme inhibitor activity; integrin binding; metalloendopeptidase inhibitor activity; protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA