

Recombinant Human N-acetylneuraminic Acid Phosphatase, His-tagged

Cat. No. NANP-2825H **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Recombinant human NANP protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques. MW = 31.9kDa (284aa), confirmed by MALDI-TOF.

Species

Human

Source

E.coli

Description

NANP (N-acylneuraminate-9-phosphatase), also known as HDHD4 (Haloacid dehalogenase-like hydrolase domain-containing protein 4), is belongs to the haloacid dehalogenase (HAD) family and is responsible for dephosphorylating N-acylneuraminate 9-phosphate to form N-acylneuraminate (N-acylneuraminate 9-phosphate + H₂O = N-acylneuraminate + phosphate). Characteristic of the HAD phosphatase family, the catalytic activity of NANP is dependent upon the presence of magnesium and is inhibited by vanadate and calcium.

Sequences Of Amino Acids

MRGSHHHHHH GMASMTGGQQ MGRDLYDDDD KDRWGSMGLS RVRVFFDLD
NTLIDTAGAS RRGMLEVIKL LQSKYHYKEE AEIICDKVQV KLSKECFHPY
NTCITDLRTS HWEEAIQETK GGAANRKLAE ECFYFLWKSTR LQHMTLAEDV
KAMLTELRKE VRLLLLNTGD RQTQREKIEA CACQSYFDAV VVGGEQREEK
PAPSIFYYCC NLLGVQPGDC VMVGDTLETD IQGGLNAGLK ATVWINKNGI
VPLKSSPVPH YMVSSVLELP ALLQSIDCKV SMST

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90% by SDS – PAGE.
Form	Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol, 2mM DTT, 100mM NaCl.
Concentration	0.5mg/ml (determined by Bradford assay).
Storage	Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

GENE INFORMATION

Gene Name	NANP N-acetylneuraminic acid phosphatase [Homo sapiens]
Synonyms	NANP; N-acetylneuraminic acid phosphatase; HDHD4; MGC26833; C20orf147; dJ694B14.3; N-acylneuraminate-9-phosphatase; Neu5Ac-9-Pase; haloacid dehalogenase-like hydrolase domain containing 4; haloacid dehalogenase-like hydrolase domain-containing protein 4; EC 3.1.3.29; chromosome 20 open reading frame 147
Gene ID	140838
mRNA Refseq	NM_152667
Protein Refseq	NP_689880
MIM	610763
UniProt ID	Q8TBE9
Chromosome	20p11.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Amino sugar and nucleotide sugar metabolism; Metabolic pathways
Function	N-acylneuraminate-9-phosphatase activity; hydrolase activity; phosphoglycolate phosphatase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA