

Recombinant Human Interferon, Alpha 2

Cat. No. IFNA2-91H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human Interferon, Alpha 2 was expressed in <i>Pseudomonas putida</i> . MW = 19.2 kDa.
Species	Human
Source	Pseudomonas Putida
Description	Interferon- α (INF- α), also known as leukocyte interferon, comprises a group of related but distinct proteins that share over 95 % amino acid sequence homology. They are members of the type I interferon family which share a common cell surface receptor composed of two subunits, 100 kDa ligand-binding subunit (INF- α R1) and a 125 kDa subunit (INF- α R2) that is involved both in ligand binding and signal transduction. INF- α has both anti-viral and immunomodulatory activities on target cells.
Purity	>98% determined by HPLC and PAGE.
Form	lyophilised with carrier.
Sterilized	Yes.
Biological Activity	>2.5 x 10E+8 unit/mg was determined in the cytopathic effect inhibition assay using human diploid fibroblast cells with vesicular stomatitis virus (VSV). A cytopathic effect of 50% was produced with 1 unit/ml interferon. The units are determined according to the international reference standard provided by WHO.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Contaminations protein <2% (HPLC), DNA <50pg/mg of protein.

Storage -70°C.

GENE INFORMATION

Gene Name IFNA2 interferon, alpha 2 [Homo sapiens]

Synonyms IFNA2; interferon, alpha 2; Interferon, alpha-2;; IFNA; INFA2; MGC125764; MGC125765; Interferon alpha A; Alpha-2a interferon; Interferon alpha 2b; OTTHUMP00000021143; Interferon alpha-A; LeIF A

Gene ID 3440

mRNA Refseq NM_000605

Protein Refseq NP_000596

MIM 147562

UniProt ID P01563

Chromosome Location 9p22

Pathway Antigen processing and presentation; Autoimmune thyroid disease; Cytokine-cytokine receptor interaction; Jak-STAT signaling pathway; Natural killer cell mediated cytotoxicity; RIG-I-like receptor signaling pathway; Regulation of autophagy; Toll-like receptor signaling pathway


Function cytokine activity; interferon-alpha/beta receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 1itf.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA