

Recombinant Human Serum/Glucocorticoid Regulated Kinase 2

Cat. No. SGK2-659H **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	E.coli
Description	SGK2 is a member of the serum- and glucocorticoid-induced kinases (SGK) which are serine-threonine kinases and belong to the "AGC" kinase subfamily, which includes protein kinases A, G, and C, and its catalytic domain is most similar to protein kinase B (PKB). SGK2, like the other two isoforms SGK1 and SGK3, is stimulated by insulin and insulin-like growth factor-1 (IGF-1), and has been shown to enhance Na(+)/K(+)-ATPase activity in a variety of cells.
Application	Kinase activity is measured as the molar amount of phosphate incorporated into the Akt/SGK substrate peptide (RPRAATF), per minute per mg protein at 30 °C using a final concentration of 50 µM [32P] ATP.
Biochem/physiol Actions	SGK2 is a member of the serum- and glucocorticoid-induced kinases (SGK) which are serine-threonine kinases and belong to the "AGC" kinase subfamily, which includes protein kinases A, G, and C and has SGK2 enhances Na ⁺ /K ⁺ -ATPase activity in a variety of cells. In addition, SGK2 mimics the function of SGK1 and SGK3 and participates in the regulation of renal epithelial Na ⁺ channel ENaC activity.
Physical Form	Supplied at 50 µL in 50 mM Tris-HCl, pH 7.5, 150 mM NaCl, 0.25 mM dithiothreitol

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

(DTT), 0.1 mM EGTA, and 30% glycerol.

Assay ≥75% (SDS-PAGE).

Form aqueous glycerol solution.

Mol Wt protein apparent mol wt ~66 kDa.

Storage Temp -70°C.

GENE INFORMATION

Gene Name SGK2 serum/glucocorticoid regulated kinase 2 [Homo sapiens]

Synonyms SGK2; serum/glucocorticoid regulated kinase 2; H-SGK2; dJ138B7.2; OTTHUMP00000031705; EC 2.7.11.1; OTTHUMP00000031702; OTTHUMP00000031703; Serum/glucocorticoid-regulated kinase 2; Serine/threonine-protein kinase Sgk2

Gene ID 10110

mRNA Refseq NM_016276

Protein Refseq NP_057360

MIM 607589

UniProt ID Q9HBY8

Chromosome Location 20q13.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

ATP binding; nucleotide binding; potassium channel regulator activity; protein serine/threonine kinase activity; sodium channel regulator activity; transferase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA