

Recombinant Human Bleomycin Hydrolase, His-tagged

Cat. No. BLMH-802H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human BLMH protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography. MW = 54.7 kDa(475aa), confirmed by MALDI-TOF.
Species	Human
Source	E.coli
Description	BLMH is a member of the papain superfamily of the cysteine protease and the peptidase C1 family. It is a cytoplasmic cysteinepeptidase commonly found as a homohexamer. The normal physiological role of BLMH is unknown, but it protects normal and malignant cells from the glycopeptide antitumor drug BLM. It catalyzes the inactivation of the antitumor drug BLM (a glycopeptide) by hydrolyzing the carboxyamide bond of its B-aminoalaninamide moiety and also shows general aminopeptidase activity.
Sequences Of Amino Acids	MGSSHHHHHH SSGLVPRGSH MSSSGLNSEK VAALIQKLNS DPQFVLAQNV GTTHDLLDIC LKRATVQRAQ HVFQHAVPQE GKPITNQKSS GRCWIFSCLN VMRLPFMKKL NIEEFESQS YLFFWDKVER CYFFLSAFVD TAQRKEPEDG RLVQFLLMNP ANDGGQWDML VNIVEKYGVI PKKCFPESYT TEATRRMNDI LNHKMREFCI RLRNLVHSGA TKGEISATQD VMMEEIFRVV CICLGNPPET FTWEYRDKDK NYQKIGPITP LEFYREHVKP LFNMEDKICL VNDPRPQHKY NKLYTVEYLS NMVGGRKTLY NNQPIDFLKK MVAASIKDGE AVWFGCDVGK HFNSKLGLSD MNLYDHELVE GVSLKNMNKA ERLTFGESLM THAMTFTAVS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

EKDDQDGAFK KWRVENSWGE DHGHKGYLCM TDEWFSEYVY EVVVDRKHVP
EEVLAVLEQE PIILPAWDPM GALAE

Purity > 90% by SDS – PAGE.

Form Liquid. In 20 mM Tris-HCl Buffer (pH 8.0) containing 10% Glycerol.

Concentration 1 mg/ml (determined by Bradford assay).

Storage Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

GENE INFORMATION

Gene Name [BLMH bleomycin hydrolase \[Homo sapiens \]](#)

Synonyms BLMH; bleomycin hydrolase; BH; BMH; BLM hydrolase; EC 3.4.22.40

Gene ID [642](#)

mRNA Refseq [NM_000386](#)

Protein Refseq [NP_000377](#)

MIM [602403](#)

UniProt ID [Q13867](#)

Chromosome Location 17q11.2


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

aminopeptidase activity; carboxypeptidase activity; cysteine-type endopeptidase activity; cysteine-type peptidase activity; peptidase activity; protein binding



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA