

Recombinant Human CCL15 protein, His-tagged

Cat. No. CCL15-197H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CCL15 protein(Q16663-1) (Gln 22-Ile 113) was expressed in E. coli, with a polyhistidine tag at the C-terminus.
Species	Human
Source	E. coli
ProteinLength	22-113 aa
Form	Lyophilized from sterile PBS, pH 7.4.
Molecular Mass	The recombinant human CCL15 consisting of 103 amino acids and has a calculated molecular mass of 11.7 kDa. It migrates as an approximately 13 kDa band in SDS-PAGE under reducing conditions.
Purity	> 95 % as determined by SDS-PAGE
Storage	Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
protein Refseq-	http://www.ncbi.nlm.nih.gov/protein/NP_116741.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Weblink	
Unit ID	Q16663
Unit ID-Weblink	http://www.uniprot.org/uniprot/Q16663
GENE INFORMATION	
Gene Name	CCL15 chemokine (C-C motif) ligand 15 [Homo sapiens]
Official Symbol	CCL15
Synonyms	CCL15; chemokine (C-C motif) ligand 15; SCYA15, small inducible cytokine subfamily A (Cys Cys), member 15; C-C motif chemokine 15; CC chemokine 3; chemokine CC 2; HCC 2; HMRP 2B; leukotactin 1; Lkn 1; macrophage inflammatory protein 5; MIP 1 delta; MIP 1d; MIP 5; NCC 3; SCYL3; MIP-1 delta; chemokine CC-2; new CC chemokine 3; small-inducible cytokine A15; small inducible cytokine subfamily A (Cys-Cys), member 15; LKN1; NCC3; SY15; HCC-2; LKN-1; MIP-5; NCC-3; MIP-1D; MRP-2B; SCYA15; HMRP-2B;
Gene ID	6359
mRNA Refseq	NM_032965
protein Refseq	NP_116741
MIM	601393