

Active Recombinant Mouse Cystatin B, His-tagged

Cat. No. Cstb-4002M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	A DNA sequence encoding the mouse CTSB (P10605) (Met 1 - Phe 339) was fused with a polyhistidine tag at the C-terminus.
Species	Human
Source	Mouse
ProteinLength	1-339 a.a.
Description	Mouse cystatin-B, also known as CPI-B, Liver thiol proteinase inhibitor, Stefin-B, CSTB and CST6, is a cytoplasm and nucleus protein which belongs to the cystatin family. Cystatin-B / CSTB is an intracellular thiol proteinase inhibitor. Tightly binding reversible inhibitor of cathepsins L, H and B. Cystatin-B / CSTB is able to form a dimer stabilized by noncovalent forces, inhibiting papain and cathepsins L, h and b. Cystatin-B / CSTB is also thought to play a role in protecting against the proteases leaking from lysosomes. Defects in Cystatin-B / CSTB are the cause of progressive myoclonic epilepsy type 1 (EPM1) which is an autosomal recessive disorder characterized by severe, stimulus-sensitive myoclonus and tonic-clonic seizures.
Form	Lyophilized from sterile PBS , pH 7.4. Normally 5 % - 8 % trehalose and mannitol are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.
Purity	> 95 % as determined by SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity	Measured by its ability to cleave the fluorogenic peptide substrate Z-LR-AMC. The specific activity is > 1,000 pmoles / min / g
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method
Stability	Samples are stable for up to twelve months from date of receipt at -70µ
Predicted N terminal	His 18
Molecular Mass	The secreted recombinant mouse CTSB (pro form) consists of 333 amino acids and has a predicted molecular mass of 36.6 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rm CTSB is approximately 35-43 kDa due to glycosylation
Storage	Store it under sterile conditions at -70µ. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

GENE INFORMATION

Gene Name	Cstb cystatin B [Mus musculus]
Official Symbol	Cstb
Synonyms	Cstb; Stfb; AA960480; cystatin B; cystatin-B; stefin-B
Gene ID	13014
mRNA Refseq	NM_007793
Protein Refseq	NP_031819

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q62426
Chromosome Location	10 C1; 10 42.0 cM
Function	cysteine-type endopeptidase inhibitor activity; endopeptidase inhibitor activity; peptidase inhibitor activity; protease binding
PDB rendering based on 1stf.	