

Recombinant Bovine Chorionic Somatomammotropin Hormone 1

Cat. No. CSH1-50B **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Bovine Placental Lactogen, is a single polypeptide chain containing 199 amino acids and an additional Ala at the N-terminus having a molecular mass of 23 kDa. Recombinant Placental Lactogen is purified by proprietary chromatographic techniques.
Species	Bovine
Source	E.coli
Description	Placental Lactogen is a polypeptide hormone that is produced by the Syncytiotrophoblasts of the Placenta, also known as chorionic somatomammotropin. It has both Growth Hormone and Prolactin activities on growth, lactation, and luteal steroid production. In women, placental lactogen secretion begins soon after implantation and increases to 1 g or more a day in late pregnancy. Placental lactogen is also an insulin antagonist. Placental Lactogen Bovine is also capable of activating human and other heterologous GH receptors but not ruminat GH receptors.
Physical Appearance	Sterile Filtered White lyophilized (freeze-dried) powder.
Purity	Greater than 98.0% as determined by: (a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE.
Formulation	The protein was lyophilized from a concentrated (1mg/ml) solution with 0.02-0.03% NaHCO ₃ .

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Solubility	It is recommended to reconstitute the lyophilized Placental Lactogen in sterile 18 MΩ-cm H ₂ O not less than 100 g/ml, which can then be further diluted to other aqueous solutions.
Amino Acid Sequence	The sequence of the first five N-terminal amino acids was determined and was found to be Ala-Glu-Asp-Tyr-Ala-Pro.
Biological Activity	Placental Lactogen Bovine is biologically active as evidenced by inducing proliferation of Nb2 cells.
Protein content	UV spectroscopy at 280 nm using the absorbency value of 0.85 as the extinction coefficient for a 0.1% (1 mg/ml) solution. This value is calculated by the PC GENE computer analysis program of protein sequences (IntelliGenetics).
Storage	Lyophilized Placental Lactogen although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution Placental Lactogen should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

GENE INFORMATION

Gene Name	CSH1 chorionic somatomammotropin hormone 1 (placental lactogen) [Bos taurus]
Synonyms	CSH1; chorionic somatomammotropin hormone 1 (placental lactogen); PL
Gene ID	281097
mRNA Refseq	NM_001164321
Protein Refseq	NP_001157793

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P09611
Function	growth factor activity