

Recombinant Caprine Chorionic Somatomammotropin Hormone

Cat. No. CSH-52C Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Caprine Placental Lactogen is a single polypeptide chain containing 199 amino acids and an additional Ala at the N-terminus having a molecular mass of 23 kDa. Placental Lactogen is purified by proprietary chromatographic techniques.
Species	Goat
Source	E.coli
Description	Placental Lactogen is a polypeptide hormone that is produced by the Syncytiotrophoblasts of the Placenta, also known as chorionic somatomammotropin. It has both Growth Hormone and Prolactin activities on growth, lactation, and luteal steroid production. In women, placental lactogen secretion begins soon after implantation and increases to 1 g or more a day in late pregnancy. Placental lactogen is also an insulin antagonist. Placental Lactogen Goat is also capable of activating human and other heterologous GH receptors but not ruminant GH receptors.
Physical Appearance	Sterile Filtered White lyophilized (freeze-dried) powder.
Purity	Greater than 98.0% as determined by: (a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE.
Formulation	The protein was lyophilized from a concentrated (1mg/ml) solution with 0.02-0.03% NaHCO ₃ .

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Solubility	It is recommended to reconstitute the lyophilized Placental Lactogen in sterile 18 MΩ-cm H ₂ O not less than 100 g/ml, which can then be further diluted to other aqueous solutions.
Amino Acid Sequence	The sequence of the first four N-terminal amino acids was determined and was found to be Ala-Glu-Asn-Tyr.
Biological Activity	Caprine Placental Lactogen is biologically active as evidenced by inducing proliferation of Nb2 cells.
Protein Content	UV spectroscopy at 280 nm using the absorbency value of 0.85 as the extinction coefficient for a 0.1% (1mg/ml) solution. This value is calculated by the PC GENE computer analysis program of protein sequences (IntelliGenetics).
Storage	Lyophilized Placental Lactogen although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution Placental Lactogen Goat should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

GENE INFORMATION

Gene Name	LOC443319 placental lactogen [<i>Ovis aries</i>]
Synonyms	CSH; Chorionic somatomammotropin hormone; placental lactogen; LOC443319
Gene ID	443319
mRNA Refseq	NM_001009309
Protein Refseq	NP_001009309

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P16038

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA