

Recombinant Human IMP (Inosine 5'-Monophosphate) Dehydrogenase 2, His-tagged

Cat. No. IMPDH2-1274H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human IMPDH2 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
Species	Human
Source	Human
Description	IMPDH2 belongs to the IMPDH/GMPR family. It catalyzes the NAD-dependent oxidation of inosine-5"-monophosphate into xanthine-5"-monophosphate, which is then converted into guanosine-5"-monophosphate. IMPDH2 is the rate-limiting enzyme in the de novo guanine nucleotide biosynthesis. It is thus involved in maintaining cellular guanine deoxy- and ribonucleotide pools needed for DNA and RNA synthesis. Also IMPDH1 and IMPDH2 are targets for the important immunosuppressive drug, mycophenolic acid (MPA).
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 2mM DTT, 20% glycerol, 150mM NaCl
Molecular Weight	58.0kDa (534aa)
Purity	> 90% by SDS - PAGE
Concentration	0.5mg/ml (determined by Bradford assay)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Sequences of amino acids

MGSSHHHHHH SSGLVPRGSH MADYLISGGT SYVPDDGLTA QQLFNCGDGL
 TYNDLILPG YIDFTADQVD LTSALTKKIT LKTPLVSSPM DTVTEAGMAI
 AMALTGGIGF IHHNCTPEFQ ANEVRKVKKY EQGFITDPVV LSPKDRVRDV
 FEAARHGFC GIPITDTGRM GSRLVGISS RDIDFLKEEE HDCFLEEIMT
 KREDLVVAPA GITLKEANEI LQRSKKGKLP IVNEDDELVA IIARTDLKKN
 RDYPLASKDA KKQLLCGAAI GTHEDDKYRL DLLAQAGVDV VVLDSSQGNS
 IFQINMIKYI KDKYPNLQVI GGNVVTAQA KNLIDAGVDA LRVGMGSGSI
 CITQEVLAGC RPQATAVYKV SEYARRFGVP VIADGGIQNV GHIAKALALG
 ASTVMMGSL AATTEAPGEY FFSDGIRLKK YRGMGSLDAM DKHLSSQNRV
 FSEADKIKVA QGVSGAVQDK GSIHKFVPYL IAGIQHSCQD IGAKSLTQVR
 AMMYSGELKF EKRTSSAQVE GGVHSLHSYE KRLF

Storage

Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

Pathways

Drug metabolism - other enzymes; Metabolic pathways; Purine metabolism; Purine ribonucleoside monophosphate biosynthesis

GENE INFORMATION

Gene Name

IMPDH2 IMP (inosine 5"-monophosphate) dehydrogenase 2 [Homo sapiens]

Official Symbol

IMPDH2

Synonyms

IMPDH2; IMPDH 2; IMPD2; IMPD 2; IMP (inosine 5"-monophosphate) dehydrogenase 2; IMP (inosine monophosphate) dehydrogenase 2; IMPDH-II; IMP oxireductase 2; inosine 5" phosphate dehydrogenase 2; inosine monophosphate dehydrogenase type II; IMP dehydrogenase 2; inosine-5"-monophosphate dehydrogenase 2; IMP dehydrogenase 2; EC 1.1.1.205; OTTHUMP00000210556

Gene ID	3615
mRNA Refseq	NM_000884
Protein Refseq	NP_000875
MIM	146691
UniProt ID	P12268
Chromosome Location	3p21.2
Function	IMP dehydrogenase activity; metal ion binding; nucleotide binding; oxidoreductase activity; protein binding
PDB rendering based on1b3o.	