

Recombinant Human Oxytocin, Prepropeptide

Cat. No. OXT-313H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Oxytocin Human Synthetic is a single, non-glycosylated, polypeptide chain containing 9 amino acids and having a molecular mass of 1007.2 Dalton. Oxytocin has a molecular formula of C ₄₃ H ₆₆ N ₁₂ O ₁₂ S ₂ . The OT is purified by proprietary chromatographic techniques.
Source	Human
Description	Human Oxytocin stimulates uterine smooth muscle contractions indirectly and stimulates the mammary glands to increase lactation without increasing the production of milk.
Form	The Oxytocin was lyophilized from a concentrated (1 mg/ml) solution with no additives.
Purity	Greater than 98.0% as determined by RP-HPLC.
Physical Appearance	Sterile Filtered White lyophilized (freeze-dried) powder.
Solubility	It is recommended to reconstitute the lyophilized Oxytocin in sterile 18M μ -cm H ₂ O not less than 100 g/ml, which can then be further diluted to other aqueous solutions.
Amino acid sequence	Cys-Tyr-Ile-Gln-Asn-Cys-Pro-Leu-Gly-NH ₂ .
Storage	Lyophilized Oxytocin although stable at room temperature for 3 weeks, should be

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

stored desiccated below -18°C. Upon reconstitution Neurophysin 1 should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Pathways

Class A/1 (Rhodopsin-like receptors); G alpha (q) signalling events; GPCR downstream signaling; GPCR ligand binding; Myometrial Relaxation and Contraction Pathways; Peptide ligand-binding receptors; Signaling by GPCR; Vasopressin-like receptors

GENE INFORMATION

Gene Name OXT oxytocin, prepropeptide [Homo sapiens]

Official Symbol OXT

Synonyms OXT; OT; OT-NPI; MGC126890; MGC126892; oxytocin-neurophysin 1; neurophysin I; OTTHUMP00000030079; oxytocin, prepro- (neurophysin I); oxytocin-neurophysin I, preproprotein; oxytocin; prepropeptide

Gene ID 5020

mRNA Refseq NM_000915

Protein Refseq NP_000906

MIM 167050

UniProt ID P01178

Chromosome 20p13

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Location

Function

neurohypophyseal hormone activity; oxytocin receptor binding; protein binding

**Systematic (IUPAC)
name**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA