

Recombinant Human Fas Ligand Inhibitor, Fc-tagged

Cat. No. FAS-37H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Produced in HEK 293 cells. The extracellular domain of human Fas (CD95; APO-1)(aa 7-154) is fused to the Fc portion of human IgG1. Purified by multi-step chromatography.
Species	Human
ProteinLength	7-154 a.a.
Form	50 µg lyophilized, contains PBS.
Molecular Mass	~56 kDa
Endotoxin	Endotoxin content is <0.1 eu/µg purified protein as determined by LAL test.
Purity	≥95% as determined by SDS-PAGE.
Characteristic	Inhibits the apoptosis-inducing activity of Fas Ligand. Binds FasL.
Applications	Functional Application: Inhibition of FAS Ligand activity in human and mouse: The apoptosis-inducing activity of FasL is inhibited by concentrations of 20-100 µg/mL of the fusion protein.
Usage	For in vitro research use only. Not for use in diagnostics or in humans.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store at -20°C. After reconstitution, aliquot and store at -20°C. Avoid repeated freeze/thaw cycles (activity may decrease).
Warning	No warranties, expressed or implied, are made regarding the use of this product. Creative Biomart is not liable for any damage, personal injury, or economic loss caused by this product.
GENE INFORMATION	
Gene Name	FAS Fas (TNF receptor superfamily, member 6) [Homo sapiens]
Official Symbol	FAS
Synonyms	FAS; Fas (TNF receptor superfamily, member 6); APT1, FAS1, TNFRSF6, tumor necrosis factor receptor superfamily, member 6; tumor necrosis factor receptor superfamily member 6; APO 1; CD95; Fas AMA; FAS 827dupA; CD95 antigen; FASLG receptor; apoptosis antigen 1; Delta Fas/APO-1/CD95; APO-1 cell surface antigen; apoptosis-mediating surface antigen FAS; tumor necrosis factor receptor superfamily, member 6; APT1; FAS1; APO-1; FASTM; ALPS1A; TNFRSF6;
Gene ID	355
mRNA Refseq	NM_000043
Protein Refseq	NP_000034
MIM	134637
UniProt ID	P25445
Chromosome	10q24.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Activation of Pro-Caspase 8, organism-specific biosystem; Adipogenesis, organism-specific biosystem; African trypanosomiasis, organism-specific biosystem; African trypanosomiasis, conserved biosystem; Allograft rejection, organism-specific biosystem; Allograft rejection, conserved biosystem; Alzheimers disease, organism-specific biosystem;
Function	binding; identical protein binding; kinase binding; protein binding; receptor activity; receptor activity; signal transducer activity; transmembrane signaling receptor activity; tumor necrosis factor-activated receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA