

Active Recombinant Human PON1 protein, His-tagged

Cat. No. PON1-07H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human PON1 protein(P27169)(35~206 aa), fused with N-terminal His tag, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	35-206 aa
Form	Lyophilized from sterile 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Bio-activity	Paraoxonase 1 (PON1) is responsible for hydrolysing organophosphate pesticides and nerve gasses. PON1 (paraoxonase 1) is also a major anti-atherosclerotic component of high-density lipoprotein (HDL). Besides, Clusterin (CLU) has been identified as an interactor of PON1, thus a binding ELISA assay was conducted to detect the interaction of recombinant human PON1 and recombinant human CLU. Briefly, PON1 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100uL were then transferred to CLU-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-PON1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50μ stop solution to the wells and read at 450nm immediately. The binding activity of of PON1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

and CLU was shown, and this effect was in a dose dependent manner.

Molecular Mass	20.6kDa
Purity	> 97% as determined by SDS-PAGE.
Storage	Avoid repeated freeze/thaw cycles. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.
Reconstitution	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION


Gene Name	PON1 paraoxonase 1 [Homo sapiens]
Official Symbol	PON1
Synonyms	PON1; paraoxonase 1; PON; serum paraoxonase/arylesterase 1; ESA; esterase A; K-45; PON 1; A-esterase 1; paraoxonase B-type; aromatic esterase 1; arylesterase B-type; serum aryldiacylphosphatase; serum aryldialkylphosphatase 1; MVCD5;
Gene ID	5444
mRNA Refseq	NM_000446
Protein Refseq	NP_000437
UniProt ID	P27169

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity



SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA