

DEAE methacrylic resin

Cat. No. diethylaminoethyl-008M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	DEAE methacrylic chromatographic resins are designed for anion exchange chromatography. This chromatographic mode separates molecules on the basis of ionic interactions between the sample and the resin. The separation is usually accomplished in buffered aqueous solution with a gradient of increasing ionic strength. Alternatively, pH adjustment may be used for control of elution.
Cat.no	diethylaminoethyl-008M
Form	slurry in 20 % (v/v) ethanol
Size	100 mL, 250 mL, 1 L
Matrix	methacrylic polymer
Ion exchange capacity	0.2 ± 0.05 meq/mL
Functional group	diethylaminoethyl group: $-O-CH_2CH_2-N^+(C_2H_5)_2H$
Protein	diethylaminoethyl
Average particle size	50 – 100 μ m
Dynamic binding capacity	≥ 156 mg/mL BSA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Recommended flow rate	normally 10 – 600 cm/h
------------------------------	------------------------

Shelf life	Minimum 5 years
-------------------	-----------------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA