

Recombinant Human VCL, His-tagged

Cat. No. VCL-01H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human vinculin (P18206-2) (Met 1-Gln 1066), fused with a polyhistidine tag at the C-terminus, was expressed in Human Cells
Species	Human
Source	Human Cells
Description	Vinculin is a cytoskeletal protein associated with cell-cell and cell-matrix junctions, where it is thought to function as one of several interacting proteins involved in anchoring F-actin to the membrane. Defects in VCL are the cause of cardiomyopathy dilated type 1W. Dilated cardiomyopathy is a disorder characterized by ventricular dilation and impaired systolic function, resulting in congestive heart failure and arrhythmia. Multiple alternatively spliced transcript variants have been found for this gene, but the biological validity of some variants has not been determined.
Predicted N Terminal	Met 1
Form	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose and mannitol are added as protectants before lyophilization.
Molecular Mass	The recombinant human VCL consists of 1077 amino acids and has a calculated molecular mass of 118 kDa. The apparent molecular mass of rhVCL is approximately 115 kDa in SDS-PAGE under reducing conditions.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90 % as determined by SDS-PAGE.
Stability	Samples are stable for up to twelve months from date of receipt at -70 °C.
Storage	Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	Detailed reconstitution instructions are sent along with the products.

GENE INFORMATION

Gene Name	VCL vinculin [Homo sapiens (human)]
Official Symbol	VCL
Synonyms	VCL; MV; MVCL; CMD1W; CMH15; HEL114; vinculin; epididymis luminal protein 114; metavinculin
Gene ID	7414
mRNA Refseq	NM_003373
Protein Refseq	NP_003364
MIM	193065
UniProt ID	P18206
Chromosome Location	10q22.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Adherens junction; Bacterial invasion of epithelial cells; IL-3 Signaling Pathway
Function	actin binding; NOT actin binding; alpha-catenin binding; beta-catenin binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA