

Active Recombinant Human TGFB β 3, His-tagged

Cat. No. TGFB β 3-699H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The recombinant human TGFB β 3/BGCAN ECD protein is expressed as a 772 amino acid protein consisting of Gly21 - Gly781 region of TGFB β 3 (UniProt accession #Q03167) and a C-terminal His tag.
Species	Human
Source	Human Cells
ProteinLength	21-781 a.a.
Form	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier & preservative free).
Bio-activity	Immobilized TGFB β 3 protein binds human TGF β 2 in a functional ELISA. Blocks TGF β 2-mediated signaling activity.
Molecular Mass	Calculated molecular mass (kDa): 85.7; Estimated by SDS-PAGE under reducing condition (kDa): 95-100
AA Sequence	GPEPGALCELSPVSASHPVQALMESFTVLSGCASRGTTGLPQEVHVLNLRTAGQGP GQLQREVTLHLNPISSVH IHHKSVVFLNLSPLVWHLKTERLATGVSRLFLVSEGS VVQFSSANFSLTAETEERNFPHGNEHLLNWARKEY GAVTSFTELKIARNIYIKVGED QVFPPKCNIGKNFLSLNYLAEYLQPKAAEGCVMSSQPQNEEVHIIELITPNS NPYSAF QVDITIDIRPSQEDLEVVKNLILILKCKKSVNWWIKSFDVKGSLKIIAPNSIGFGKESERS MTMTKSI RDDIPSTQGNLVKWALDNGYSPITSYTMAPVANRFHLRLNNAEEMGDE EVHTIPPELRILLDPGALPALQNP PIRGGEGQNGGLPFPFPDISRRVWNEEGEDGLP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

RPKDPVIPSIQLFPGLREPEEVQGSVDIALSVKCDNEKMIV AVEKDSFQASGYSGMD
VTLLDPTCKAKMNGTHFVLESPLNGCGTRPRWSALDGVVYNSIVIQVPALGDSSG
WP DGYEDLESGDNGFPGDMDEGDASLFTRPEIVVFNC SLQQVRNPSSFQE QPHG
NITFNMELYNTDLFLVPSQGVF SVPENGHVYVEVSVTKAEQELGFAIQTCFISPYSN
PDRMSHYTIIENICPKDES VKFYSPKRVHFPIQADMD KKRFSFVFKPVFNTSLLFLQ
CELTCTKMEKHPQKLPKCVPPDEACTSLDASIIWAMMQNKKTF TKPLAVIHHE AES
KEKGPSMKEPNPISPPIFHGSTGHHHHHHHHH

Endotoxin

<0.1 eu="" per="" 1="" μg="" of="" purified="" recombinant="" protein=""
determined="" by="" the="" la="">

Purity

>75% judged by SDS-PAGE under reducing condition

Storage

The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below –20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

GENE INFORMATION

Gene Name

TGFB3 transforming growth factor, beta receptor III [Homo sapiens]

Official Symbol

TGFB3

Synonyms

TGFB3; transforming growth factor, beta receptor III; transforming growth factor, beta receptor III (betaglycan, 300kDa); transforming growth factor beta receptor type 3; betaglycan; betaglycan proteoglycan; BGCAN; TGFR-3; TGF-beta receptor type 3; TGF-beta receptor type III;

Gene ID

7049

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_001195683
Protein Refseq	NP_001182612
MIM	600742
UniProt ID	Q03167
Chromosome Location	1p33-p32
Pathway	TGF Beta Signaling Pathway, organism-specific biosystem; TGF-beta Receptor Signaling Pathway, organism-specific biosystem; TGF-beta receptor signaling, organism-specific biosystem;
Function	PDZ domain binding; SMAD binding; coreceptor activity; glycosaminoglycan binding; glycosaminoglycan binding; heparin binding; protein binding; contributes_to protein binding; receptor activity; transforming growth factor beta binding; transforming growth factor beta receptor activity, type III; transforming growth factor beta receptor binding; transforming growth factor beta-activated receptor activity; type II transforming growth factor beta receptor binding;