

Active Recombinant Human TIE1, Fc-tagged, Biotinylated

Cat. No. TIE1-700H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The recombinant human Tie1-Fc fusion is expressed as a 967 amino acid protein consisting of Ala22 - Gln759 region of Tie1 and a C-terminal Fc from human IgG1, which exists as a dimer under non-reducing conditions.
Species	Human
Source	Human Cells
ProteinLength	22-759 a.a.
Form	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier & preservative free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule).
Bio-activity	Interacts with Tie2 and inhibits angiopoietin/Tie2-mediated signaling activity.
Molecular Mass	Calculated molecular mass (kDa): 105.5; Estimated by SDS-PAGE under reducing condition (kDa): 110-120
AA Sequence	LSARVHKEKQTDVIWKSNGSYFYTLDWHEAQDGRFLLQLPNVQPPSSGIYSATYLE ASPLGSAFFRLIVRGCGA GRWGPCTKECPGCLHGGVCHDHDGECVCPGFTGT RCEQACREGFRFGQSCQEQCPGISGCRGLTFCLPDPYGC SCGSGWRGSQCQEAC APGHFGADCRLQCQCQNGGTCDRFSGCVPSGWHGVHCEKSDRIPQILNMASEL EFNLE TMPRINCAAAGNPFVVRGSIELRKPDGTVLLSTKAIVEPEKTTAEFEVPRVLV ADSGFWECDRVSTSGGQDSRRF KVNKVPVPLAAPRLTKQSRQLVVSPLVSFSG DGPISVRLHYRPQDSTMDWSTIVVDPSENVTLMLNLRPK TGYSVRVQLSRPGEKG

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

EGAWGPPTLMTTDCPEPLLQPWLEGWHVEGTDRLRVSWSLPLVPGPLVGDGFLLR
 LWD GTRGQERRENVSSPQARTALLTGLTPGTHYQLDVQLYHCTLLGPASPPAHVL
 LPPSGPPAPRHLHAQALSDSEI QLTWKHPEALPGPISKYVVEVQVAGGAGDPLWID
 VDRPEETSTIIRGLNASTRYLFRMRASIQGLGDWSNTVEE STLGNGLQAEGPVQES
 RAAEEGLDQGSGTGHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV
 S HEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYK
 CKVSNKALPAPIEKTISKAK GQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDI
 AVEWESNGQPENNYKTTPVLDSGSFFLYSKLTVDK SRWQQGNVFSCSVMHEA
 LHNHYTQKSLSLSPGK

Endotoxin

<0.1 eu per 1 µg of purified recombinant protein determined by the lal>

Purity

>95% judged by SDS-PAGE under reducing condition

Storage

The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below –20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

Conjugation

Biotin

GENE INFORMATION

Gene Name

TIE1 tyrosine kinase with immunoglobulin-like and EGF-like domains 1 [Homo sapiens]

Official Symbol

TIE1

Synonyms

TIE1; tyrosine kinase with immunoglobulin-like and EGF-like domains 1; TIE, tyrosine

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



kinase with immunoglobulin and epidermal growth factor homology domains 1; tyrosine-protein kinase receptor Tie-1; JTK14; tyrosine kinase with immunoglobulin and epidermal growth factor homology domains 1; TIE;

Gene ID

7075

mRNA Refseq

NM_001253357

Protein Refseq

NP_001240286

MIM

600222

UniProt ID

P35590

**Chromosome
Location**

1p34-p33

Function

ATP binding; nucleotide binding; protein binding; protein tyrosine kinase activity; receptor activity; transmembrane receptor protein tyrosine kinase activity;



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com

Fax: 1-631-938-8127



45-1 Ramsey Road, Shirley, NY 11967, USA