

Recombinant Human AMH protein, MYC/DDK-tagged

Cat. No. AMH-33H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human AMH fused with MYC/DDK tag at C-terminal was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	1-560 aa
Description	Anti-Mullerian hormone is a member of the transforming growth factor-beta gene family which mediates male sexual differentiation. Anti-Mullerian hormone causes the regression of Mullerian ducts which would otherwise differentiate into the uterus and fallopian tubes. Some mutations in the anti-Mullerian hormone result in persistent Mullerian duct syndrome.
Form	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Molecular Mass	56.6 kDa
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration	>50 ug/mL as determined by microplate BCA method

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene Name	AMH anti-Mullerian hormone [Homo sapiens]
Official Symbol	AMH
Synonyms	AMH; anti-Mullerian hormone; muellerian-inhibiting factor; MIS; anti-Muellerian hormone; Mullerian inhibiting factor; Mullerian inhibiting substance; muellerian-inhibiting substance; MIF;
Gene ID	268
mRNA Refseq	NM_000479
Protein Refseq	NP_000470
MIM	600957
UniProt ID	P03971
Chromosome Location	19p13.3
Pathway	ALK2 signaling events, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; TGF-beta signaling pathway, organism-specific biosystem; TGF-beta signaling pathway, conserved biosystem;
Function	growth factor activity; hormone activity; receptor binding; transforming growth factor beta receptor binding;