

Recombinant Human ALDH2, His-tagged

Cat. No. ALDH2-27039TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant fragment, corresponding to amino acids 153-509 of Human ALDH2 with an N terminal His tag. mol wt: 41 kDa;
Species	Human
Source	E.coli
ProteinLength	153-509 a.a.
Description	This protein belongs to the aldehyde dehydrogenase family of proteins. Aldehyde dehydrogenase is the second enzyme of the major oxidative pathway of alcohol metabolism. Two major liver isoforms of aldehyde dehydrogenase, cytosolic and mitochondrial, can be distinguished by their electrophoretic mobilities, kinetic properties, and subcellular localizations. Most Caucasians have two major isozymes, while approximately 50% of Orientals have the cytosolic isozyme but not the mitochondrial isozyme. A remarkably higher frequency of acute alcohol intoxication among Orientals than among Caucasians could be related to the absence of a catalytically active form of the mitochondrial isozyme. The increased exposure to acetaldehyde in individuals with the catalytically inactive form may also confer greater susceptibility to many types of cancer. This gene encodes a mitochondrial isoform, which has a low Km for acetaldehydes, and is localized in mitochondrial matrix. Alternative splicing results in multiple transcript variants encoding distinct isoforms.
Conjugation	HIS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Lyophilised:Reconstitute with 73 µl aqua dest.
Storage buffer	Preservative: NoneConstituents: 0.5% Trehalose, 6M Urea, 100mM Sodium phosphate, 10mM Sodium chloride, pH 4.5
Storage	Shipped at 4°C. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	ADKYHGKTIPIDGFFSYTRHEPVGVCQIIPWNFLLMQ AWKLGPALATGNVVVM KVAEQTPLTALYVANLIKEAGF PPGVVNIVPGFGPTAGAAIASHEDVDKVAFTGSTEI GR VIQVAAGSSNLKRVTLLEGGKSPNIIMSDADMDWAVEQAH FALFFNQGCCCA GSRTFVQEDIYDEFVERSVARAKSR VVGNPFDSKTEQGPQVDETQFKKILGYINTG KQEGAKL LCGGGIAADRGYFIQPTVFGDVQDGMTIAKEEIFGPVMQILKFKTIEEVVG RANNSTYGLAAAVFTKDLDKANYLSQA LQAGTVVWNCYDVFGAQSPFGGYKMSG SGRELGEYGLQ AYTEVKTVT
Sequence Similarities	Belongs to the aldehyde dehydrogenase family.

GENE INFORMATION

Gene Name	ALDH2 aldehyde dehydrogenase 2 family (mitochondrial) [Homo sapiens]
Official Symbol	ALDH2
Synonyms	ALDH2; aldehyde dehydrogenase 2 family (mitochondrial); aldehyde dehydrogenase, mitochondrial;
Gene ID	217
mRNA Refseq	NM_000690

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_000681
Uniprot ID	P05091
Chromosome Location	12q24.12
Pathway	Arginine and proline metabolism, organism-specific biosystem; Arginine and proline metabolism, conserved biosystem; Ascorbate and aldarate metabolism, organism-specific biosystem; Ascorbate and aldarate metabolism, conserved biosystem; Biological oxidations, organism-specific biosystem;
Function	aldehyde dehydrogenase (NAD) activity; aldehyde dehydrogenase [NAD(P)+] activity; electron carrier activity; oxidoreductase activity;