

Recombinant Human BCL2 protein, GST-tagged

Cat. No. BCL2-26734TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human BCL2(1 a.a. - 451 a.a.) fused with GST tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	1-451 a.a.
Description	BCL2 gene encodes an integral inner mitochondrial membrane protein that acts as an antiapoptotic protein (1). The protein BAD can antagonize both the cell cycle and antiapoptotic functions of BCL2 through binding to the BH3 domain. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma (2). BCL2 is phosphorylated on specific serine/threonine residues within the unstructured loop in response to diverse stimuli and such phosphorylation has been associated with the loss of the biological function of BCL2.
Form	50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Molecular Mass	~51kDa
Purity	> 80%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Stability	1 year at -70 centigrade from the date of shipment
Storage	Store product at –70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Concentration	0.2µg/µl
GENE INFORMATION	
Gene Name	BCL2 B-cell CLL/lymphoma 2 [Homo sapiens]
Official Symbol	BCL2
Synonyms	BCL2; B-cell CLL/lymphoma 2; apoptosis regulator Bcl-2; Bcl 2; PPP1R50; protein phosphatase 1; regulatory subunit 50; protein phosphatase 1, regulatory subunit 50; Bcl-2;
Gene ID	596
mRNA Refseq	NM_000633
Protein Refseq	NP_000624
UniProt ID	P10415
Chromosome Location	18q21.3
Pathway	ATF-2 transcription factor network, organism-specific biosystem; Activation of BAD and translocation to mitochondria, organism-specific biosystem; Activation of BH3-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

only proteins, organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), conserved biosystem; Apoptosis, organism-specific biosystem; Apoptosis, organism-specific biosystem;

Function

BH3 domain binding; channel activity; identical protein binding; protease binding; protein binding; protein heterodimerization activity; protein homodimerization activity; protein phosphatase 2A binding; sequence-specific DNA binding; transcription factor binding; ubiquitin protein ligase binding;

