

Recombinant Human CCND1, His-tagged

Cat. No. CCND1-27520TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length protein, corresponding to amino acids 1-295 of Human Cyclin D1, with N terminal His tag, 295 amino acids. In addition to the coding region for Cyclin D1 this protein carries the following N-terminal sequence: MRGSHHHHHHGSYLGDTIESST
Species	Human
Source	E.coli
ProteinLength	1-295 a.a.
Description	The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance throughout the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK4 or CDK6, whose activity is required for cell cycle G1/S transition. This protein has been shown to interact with tumor suppressor protein Rb and the expression of this gene is regulated positively by Rb. Mutations, amplification and overexpression of this gene, which alters cell cycle progression, are observed frequently in a variety of tumors and may contribute to tumorigenesis.
Conjugation	HIS
Form	Lyophilised:Reconstitution with 87

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	µl aqua dest.
Storage buffer	Preservative: None Constituents: 0.5% Trehalose, 6M Urea, 100mM Sodium phosphate, 10mM Sodium chloride, pH 4.5
Storage	Shipped at 4°C. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	MEHQLLCCEVETIRRAYPDANLLNDRVLRAMLKAEETCAP SVSYFKCVQKEVLPSM RKIVATWMLLEVCEEQKCEEEVF PLAMNYLDRFLSLEPVKKSRLQLLGATCMFVASK MKET IPLTAEKLCIYTDNSIRPEELLQMELLLVNKLKWNLAAMT PHDFIEHFLSKMPE AEENKQIIRKHAQTFVALCATDVK FISNPPSMVAAGSVVAHVQGLNLRSPNNFLSY RLTRF LSRVIKCDPDCLRACQEIEALLESSLRQAQQNMDPKAAEEEEEEEEEEVDL ACTPTDVRDVDI
Sequence Similarities	Belongs to the cyclin family. Cyclin D subfamily.
Full Length	Full L.

GENE INFORMATION

Gene Name	CCND1 cyclin D1 [Homo sapiens]
Official Symbol	CCND1
Synonyms	CCND1; cyclin D1; BCL1, cyclin D1 (PRAD1: parathyroid adenomatosis 1) , D11S287E, PRAD1; G1/S-specific cyclin-D1; B cell CLL/lymphoma 1; G1/S specific cyclin D1; parathyroid adenomatosis 1; U21B31;
Gene ID	595

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_053056
Protein Refseq	NP_444284
MIM	168461
Uniprot ID	P24385
Chromosome Location	11q13
Pathway	ATF-2 transcription factor network, organism-specific biosystem; Acute myeloid leukemia, organism-specific biosystem; Acute myeloid leukemia, conserved biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Bladder cancer, organism-specific biosystem;
Function	cyclin-dependent protein kinase regulator activity; enzyme binding; protein binding; protein kinase activity; protein kinase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA