

Recombinant Human CDK1

Cat. No. CDK1-26954TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Cdc2 protein (Human) expressed by baculovirus in Sf9 insect cells, with an N terminal enzyme tag, MW 58kDa.
Species	Human
Description	The protein encoded by this gene is a member of the Ser/Thr protein kinase family. This protein is a catalytic subunit of the highly conserved protein kinase complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions of eukaryotic cell cycle. Mitotic cyclins stably associate with this protein and function as regulatory subunits. The kinase activity of this protein is controlled by cyclin accumulation and destruction through the cell cycle. The phosphorylation and dephosphorylation of this protein also play important regulatory roles in cell cycle control. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Tissue specificity	Isoform 2 is found in breast cancer tissues.
Form	Liquid
Storage buffer	Preservative: None Constituents: 25% Glycerol, 50mM Sodium chloride, 50mM Tris HCl, 0.25mM DTT, 0.1mM EDTA, 0.1mM PMSF, pH 7.5
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Sequence Similarities	Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. CDC2/CDKX subfamily. Contains 1 protein kinase domain.
Full Length	Full L.
GENE INFORMATION	
Gene Name	CDK1 cyclin-dependent kinase 1 [Homo sapiens]
Official Symbol	CDK1
Synonyms	CDK1; cyclin-dependent kinase 1; CDC2, cell division cycle 2, G1 to S and G2 to M; CDC28A;
Gene ID	983
mRNA Refseq	NM_001170406
Protein Refseq	NP_001163877
MIM	116940
Uniprot ID	P06493
Chromosome Location	10q21.2
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; APC/C:Cdc20 mediated degradation of Cyclin B, organism-specific biosystem; APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem; ARMS-mediated activation, organism-specific biosystem; Activated TLR4 signalling,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem;

Function

ATP binding; Hsp70 protein binding; RNA polymerase II carboxy-terminal domain kinase activity; cyclin binding; cyclin-dependent protein kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA