

Recombinant Human CYP3A4 protein, MYC/DDK-tagged

Cat. No. CYP3A4-18H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human CYP3A4 fused with MYC/DDK tag at C-terminal was expressed in HEK293.
Species	Human
Source	HEK293
Form	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration	>50 ug/mL as determined by microplate BCA method

GENE INFORMATION

Gene Name	CYP3A4 cytochrome P450, family 3, subfamily A, polypeptide 4 [Homo sapiens]
Official Symbol	CYP3A4
Synonyms	CYP3A4; cytochrome P450, family 3, subfamily A, polypeptide 4; CYP3A3, cytochrome P450, subfamily IIIA (nifedipine oxidase), polypeptide 4; cytochrome P450 3A4; nifedipine oxidase; cytochrome P450 3A3; cytochrome P450 HLp; cytochrome P450-PCN1; cytochrome P450 NF-25; albendazole sulfoxidase; quinine 3-monooxygenase; albendazole monooxygenase; P450-III, steroid inducible; glucocorticoid-inducible P450; taurochenodeoxycholate 6-alpha-hydroxylase;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	cytochrome P450, subfamily IIIA (naphedipine oxidase), polypeptide 3; cytochrome P450, subfamily IIIA (naphedipine oxidase), polypeptide 4; HLP; CP33; CP34; CYP3A; NF-25; CYP3A3; P450C3; CYP3A3; CYP3A4; P450PCN1; MGC126680;
Gene ID	1576
mRNA Refseq	NM_017460
Protein Refseq	NP_059488
MIM	124010
UniProt ID	P08684
Chromosome Location	7q21.1
Pathway	Bile secretion, organism-specific biosystem; Bile secretion, conserved biosystem; Biological oxidations, organism-specific biosystem; Codeine and morphine metabolism, organism-specific biosystem; Cytochrome P450 - arranged by substrate type, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved biosystem;
Function	albandazole monooxygenase activity; caffeine oxidase activity; electron carrier activity; enzyme binding; heme binding; iron ion binding; metal ion binding; monooxygenase activity; monooxygenase activity; oxidoreductase activity; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen, reduced flavin or flavoprotein as one donor, and incorporation of one atom of oxygen; oxygen binding; quinine 3-monooxygenase activity; steroid binding; steroid hydroxylase activity; taurochenodeoxycholate 6alpha-hydroxylase activity; testosterone 6-beta-hydroxylase activity; vitamin D 24-hydroxylase activity;

vitamin D3 25-hydroxylase activity;

☎ Tel: 1-631-559-9269 1-516-512-3133

☎ Email: info@creative-biomart.com ☎ Fax: 1-631-938-8127

☎ 45-1 Ramsey Road, Shirley, NY 11967, USA