

Active Recombinant Human Protein Tyrosine Phosphatase, Non-receptor Type 6

Cat. No. PTPN6-71H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PTPN6 produced in <i>E. Coli</i> is a single, non-glycosylated polypeptide chain containing 300 amino acids and having a molecular mass of 34.3 kDa. The protein coding region of the catalytic domain of SHP-1 (amino acids 243-541). The recombinant SHP-1 protein was purified by FPLC gel-filtration chromatography, after refolding of the isolated inclusion bodies in a redox buffer. Additional amino acid (Met) is attached at N-terminus.
Species	Human
Source	E.coli
Protein Length	243-541 a.a.
Description	SHP-1 is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. N-terminal part of this PTP contains two tandem Src homolog (SH2) domains, which act as protein phospho-tyrosine binding domains, and mediate the interaction of this PTP with its substrates. This PTP is expressed primarily in hematopoietic cells, and functions as an important regulator of multiple signaling pathways in hematopoietic cells. This PTP has been shown to interact with, and dephosphorylate a wide spectrum of phospho-proteins involved in hematopoietic cell signaling. Multiple alternatively spliced variants of this gene, which encode distinct isoforms, have been

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	reported.
Amino Acid Sequence	MGFWEEFESLQKQEVLNLHQRLEGQRPENKGKNRYKNILPFDHSRVILQGRDSNIP GSDYINANYIKNQLLGPDENAKTYIASQGCLEATVNDFWQMAWQENSRVIVMTTRE VEKGRNKCVPYWPEVGMQRAYGPYSVTNCGEHDTEYKLRTLQVSPLDNGDLIREI WHYQYLSWPDHGVSEPGGVLSFLDQINQRQESLPHAGPIIVHCSAGIGRTGTIIVID MLMENISTKGLDCDIDIQKTIQMVRAQRSGMVQTEAQYKFIYVAIAQFIETTKKKLEVL QSQKGQSEYGNITY
Physical Appearance	Sterile filtered colorless solution.
Purity	Greater than 95.0% as determined by: (a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE.
Formulation	The protein (1mg/ml) contains 25mM Tris-HCl, pH 7.5, 2mM β -mercaptoethanol, 1mM EDTA, 1mMDTT and 20%Glycerol.
Unit Defenition	One unit will hydrolyze 1nanomole of p-nitrophenylphosphatate per minute at pH 7.5 at 37°C using 10mM of substrate.
Activity	5,000 U/mg
Storage	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

GENE INFORMATION

Gene Name	PTPN6 protein tyrosine phosphatase, non-receptor type 6 [Homo sapiens]
Synonyms	HCP; HCPH; SHP1; SHP-1; HPTP1C; PTP-1C; SHP-1L; SH-PTP1; PTPN6; protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	tyrosine phosphatase, non-receptor type 6; SHP1; hematopoietic cell phosphatase; protein-tyrosine phosphatase 1C; hematopoietic cell protein-tyrosine phosphatase; EC 3.1.3.48; Hematopoietic cell protein-tyrosine phosphatase; Protein-tyrosine phosphatase SHP-1
Gene ID	5777
mRNA Refseq	NM_002831
Protein Refseq	NP_002822
MIM	176883
UniProt ID	P29350
Chromosome Location	12p13.31
Pathway	Adherens junction; B cell receptor signaling pathway; Jak-STAT signaling pathway; Natural killer cell mediated cytotoxicity; T cell receptor signaling pathway; Hemostasis; Signaling in Immune system
Function	hydrolase activity; protein binding; protein tyrosine phosphatase activity

PDB rendering based
on 1fpr.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA