

Native Human CXCL1

Cat. No. CXCL1-27707TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human GRO alpha.
Species	Human
Source	E.coli
Description	Chemokines are a group of small (approximately 8 to 14 kD), mostly basic, structurally related molecules that regulate cell trafficking of various types of leukocytes through interactions with a subset of 7-transmembrane, G protein-coupled receptors. Chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis. Chemokines are divided into 2 major subfamilies, CXC and CC, based on the arrangement of the first 2 of the 4 conserved cysteine residues; the 2 cysteines are separated by a single amino acid in CXC chemokines and are adjacent in CC chemokines. CXC chemokines are further subdivided into ELR and non-ELR types based on the presence or absence of a glu-leu-arg sequence adjacent and N terminal to the CXC motif. ELR types are chemotactic for neutrophils, while non-ELR types are chemotactic for lymphocytes.
Form	Lyophilised
Storage	Store at +4°C short term (1-2 weeks). Aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Sequences of amino acids

Recombinant Human GRO alpha (MGSA) is a 7.8 kDa protein containing 73 amino acid residues: ASVATELRCQCLQTLQGIHPKNIQSVNVKSPGPHCAQTEVIATLKN GRKACLNPA SPIVKKIIEKLLNSDKSN

Sequence Similarities

Belongs to the intercrine alpha (chemokine CxC) family.

GENE INFORMATION

Gene Name

CXCL1 chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha) [Homo sapiens]

Official Symbol

[CXCL1](#)

Synonyms

CXCL1; chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha); fibroblast secretory protein , FSP, GRO1, GRO1 oncogene (melanoma growth stimulating activity, alpha) , MGSA; growth-regulated alpha protein; GROa; MGSA a; NAP 3; SCYB

Gene ID

[2919](#)

mRNA Refseq

[NM_001511](#)

Protein Refseq

[NP_001502](#)

MIM

[155730](#)

Uniprot ID

[P09341](#)

Chromosome Location

4q13.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Amoebiasis, organism-specific biosystem; Amoebiasis, conserved biosystem; Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway, conserved biosystem;
Function	chemokine activity; enzyme activator activity; growth factor activity; receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA