

Recombinant Human CXCR3

Cat. No. CXCR3-26725TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant fragment corresponding to amino acids 1-53 of Human CXCR3 with a proprietary tag; Predicted MWt 31.46.
Species	Human
Source	Wheat Germ
ProteinLength	53 amino acids
Description	This gene encodes a G protein-coupled receptor with selectivity for three chemokines, termed CXCL9/Mig (monokine induced by interferon-g), CXCL10/IP10 (interferon-g-inducible 10 kDa protein) and CXCL11/I-TAC (interferon-inducible T cell a-chemoattractant). Binding of chemokines to this protein induces cellular responses that are involved in leukocyte traffic, most notably integrin activation, cytoskeletal changes and chemotactic migration. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. One of the isoforms (CXCR3-B) shows high affinity binding to chemokine, CXCL4/PF4 (PMID:12782716).
Molecular Weight	31.460kDa inclusive of tags
Tissue specificity	Isoform 1 and isoform 2 are mainly expressed in heart, kidney, liver and skeletal muscle. Isoform 1 is also expressed in placenta.
Biological activity	useful for Antibody Production and Protein Array

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Liquid
Purity	Proprietary Purification
Storage buffer	pH: 8.00Constituents:0.79% Tris HCl, 0.31% GlutathioneNote: Glutathione is reduced
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	MVLEVSDHQVLNDAEVAALLENFSSSYDYGENESDSCCTSPPCPQDFSLNFDR
Sequence Similarities	Belongs to the G-protein coupled receptor 1 family.

GENE INFORMATION

Gene Name	CXCR3 chemokine (C-X-C motif) receptor 3 [Homo sapiens]
Official Symbol	CXCR3
Synonyms	CXCR3; chemokine (C-X-C motif) receptor 3; G protein coupled receptor 9 , GPR9; C-X-C chemokine receptor type 3; CD183; CKR L2; CMKAR3; IP10 R; MigR;
Gene ID	2833
mRNA Refseq	NM_001142797
Protein Refseq	NP_001136269
MIM	300574

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Uniprot ID	P49682
Chromosome Location	Xq13
Pathway	CXCR3-mediated signaling events, organism-specific biosystem; Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway, conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem;
Function	C-X-C chemokine receptor activity; G-protein coupled receptor activity; chemokine binding; chemokine receptor activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA