

Recombinant Human GLRA1

Cat. No. GLRA1-27289TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant fragment of Human alpha 1 Glycine Receptor (amino acids 121-220) with N terminal proprietary tag, 36.63kDa.
Species	Human
Source	Wheat Germ
ProteinLength	100 amino acids
Description	The protein encoded by this gene is a subunit of a pentameric inhibitory glycine receptor. The receptor mediates postsynaptic inhibition in the central nervous system. Defects in this gene are a cause of startle disease (STHE), also known as hereditary hyperekplexia or congenital stiff-person syndrome. Two transcript variants encoding different isoforms have been found for this gene.
Molecular Weight	36.630kDa inclusive of tags
Form	Liquid
Purity	Proprietary Purification
Storage buffer	pH: 8.00Constituents:0.3% Glutathione, 0.79% Tris HCl
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Sequences of amino acids	IWKPDLFFANEKGAHFHEITTDNKLLRISRNGNVLYSIRITLTLACPMDLKNFPMDVQT CIMQLESFGYTMNDLIFEWQEQGAVQVADGLTLPQFILKEE
Sequence Similarities	Belongs to the ligand-gated ion channel (TC 1.A.9) family. Glycine receptor (TC 1.A.9.3) subfamily. GLRA1 sub-subfamily.
GENE INFORMATION	
Gene Name	GLRA1 glycine receptor, alpha 1 [Homo sapiens]
Official Symbol	GLRA1
Synonyms	GLRA1; glycine receptor, alpha 1; glycine receptor, alpha 1 (startle disease/hyperekplexia) , STHE; glycine receptor subunit alpha-1; startle disease/hyperekplexia; stiff person syndrome;
Gene ID	2741
mRNA Refseq	NM_000171
Protein Refseq	NP_000162
MIM	138491
Uniprot ID	P23415
Chromosome Location	5q31-q33
Pathway	Ion channel transport, organism-specific biosystem; Ligand-gated ion channel transport, organism-specific biosystem; Neuroactive ligand-receptor interaction,

organism-specific biosystem; Neuroactive ligand-receptor interaction, conserved biosystem; Transmembrane transport of small molecules, organism-specific biosystem;

Function

extracellular ligand-gated ion channel activity; extracellular-glycine-gated chloride channel activity; contributes_to extracellular-glycine-gated chloride channel activity; extracellular-glycine-gated chloride channel activity; glycine binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA