

Recombinant Human GRN, His-tagged

Cat. No. GRN-26404TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Human Granulin with an N-terminal His-tag, 10 kDa.
Species	Human
Source	E.coli
ProteinLength	67 amino acids
Description	Granulins are a family of secreted, glycosylated peptides that are cleaved from a single precursor protein with 7.5 repeats of a highly conserved 12-cysteine granulin/epithelin motif. The 88 kDa precursor protein, progranulin, is also called proepithelin and PC cell-derived growth factor. Cleavage of the signal peptide produces mature granulin which can be further cleaved into a variety of active, 6 kDa peptides. These smaller cleavage products are named granulin A, granulin B, granulin C, etc. Epithelins 1 and 2 are synonymous with granulins A and B, respectively. Both the peptides and intact granulin protein regulate cell growth. However, different members of the granulin protein family may act as inhibitors, stimulators, or have dual actions on cell growth. Granulin family members are important in normal development, wound healing, and tumorigenesis.
Conjugation	HIS
Molecular Weight	10.000kDa inclusive of tags
Tissue specificity	In myelogenous leukemic cell lines of promonocytic, promyelocytic, and proerythroid

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	lineage, in fibroblasts, and very strongly in epithelial cell lines. Present in inflammatory cells and bone marrow. Highest levels in kidney.
Form	Liquid
Purity	>90% by SDS-PAGE
Storage buffer	Preservative: None Constituents: 55mM Tris HCl, 150mM Sodium chloride, pH 8.2
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Sequence Similarities	Belongs to the granulin family.

GENE INFORMATION

Gene Name	GRN granulin [Homo sapiens]
Official Symbol	GRN
Synonyms	GRN; granulin; granulins; PCDGF; PGRN; progranulin;
Gene ID	2896
mRNA Refseq	NM_002087
Protein Refseq	NP_002078
MIM	138945
Uniprot ID	P28799

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	17q21.32
Function	cytokine activity; growth factor activity;