

Recombinant Human HIF1AN

Cat. No. HIF1AN-29315TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Human HIF1AN, amino acids 1-349, 40.2kDa.
Species	Human
Source	E.coli
ProteinLength	1-349 a.a.
Description	Hypoxia-inducible factor 1-alpha inhibitor is a protein that in humans is encoded by the HIF1AN gene.
Form	Liquid
Purity	>90% by SDS-PAGE
Storage buffer	Preservative: None Constituents: 20mM Tris HCl, pH 8.0
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Sequences of amino acids	MAATAAEAVA SGSGEPREEA GALGPAWDES QLRSYSFPTR PIPRLSQSDP RAEELIENEE PVVLTDTNLV YPALKWDLEY LQENIGNGDF SVYSASTHKF LYYDEKKMAN FQNFKPRSNR EEMKFHEFVE KLQDIQQRGG EERLYLQQTL NDTVGRKIVM DFLGFNWNWI NKQQGKRGWG QLTSNLLIG MEGNVTPAHY DEQQNFFAQI KGYKRCILFP PDQFECLYPY PVHHPCDRQS QVDFDNPDIYE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

RFPNFQNVVG YETVVGPGDV LYIPMYWWHH IESLLNGGIT ITVNFYKGA
PTPKRIEYPL KAHQKVAIMR NIEKMLGEAL GNPQEVGPLL NTMIKGRYN

**Sequence
Similarities**

Contains 1 JmjC domain.

Full Length

Full L.

GENE INFORMATION

Gene Name

HIF1AN hypoxia inducible factor 1, alpha subunit inhibitor [Homo sapiens]

Official Symbol

HIF1AN

Synonyms

HIF1AN; hypoxia inducible factor 1, alpha subunit inhibitor; hypoxia-inducible factor 1-alpha inhibitor; DKFZp762F1811; FIH1; FLJ20615; FLJ22027; Peptide aspartate beta dioxygenase;

Gene ID

55662

mRNA Refseq

NM_017902

Protein Refseq

NP_060372

MIM

606615

Uniprot ID

Q9NWT6

**Chromosome
Location**

10q24

Pathway

HIF-2-alpha transcription factor network, organism-specific biosystem; Hypoxic and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

oxygen homeostasis regulation of HIF-1-alpha, organism-specific biosystem;

Function

metal ion binding; oxidoreductase activity; oxidoreductase activity, acting on single donors with incorporation of molecular oxygen, incorporation of two atoms of oxygen; peptide-aspartate beta-dioxygenase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA