

Recombinant Human MALT1 protein, His/Thioredoxin-tagged

Cat. No. MALT1-857H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human MALT1((Gln 2-Ile57) fused with His/Thioredoxin tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	2-57 a.a.
Description	This gene has been found to be recurrently rearranged in chromosomal translocation with two other genes - baculoviral IAP repeat-containing protein 3 (also known as apoptosis inhibitor 2) and immunoglobulin heavy chain locus - in mucosa-associated lymphoid tissue lymphomas. The protein encoded by this gene may play a role in NF-kappaB activation. Two alternatively spliced transcript variants encoding different isoforms have been described for this gene.
Form	Supplied as a 0.45 µl filtered solution in 50 mM NaH ₂ PO ₄ (pH 7.4), 0.3 M NaCl, 80 mM imidazole, 6 M urea.
Molecular Mass	27 kDa (including N-terminal thioredoxin tag)
Purity	~0.9
Applications	ELISA, EIA, protein-protein interaction studies, Western Blotting, Dot Blotting, Immunoprecipitation, Protein Array

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Upon arrival, the protein may be stored for 2 weeks at 4 centigrade. For long term storage, it is recommended to store at -20 centigrade or -80 centigrade in appropriate aliquots. Avoid repeated freeze-thaw cycles.

GENE INFORMATION
Gene Name

[MALT1 mucosa associated lymphoid tissue lymphoma translocation gene 1 \[Homo sapiens \]](#)

Official Symbol

[MALT1](#)

Synonyms

MALT1; mucosa associated lymphoid tissue lymphoma translocation gene 1; MLT; mucosa-associated lymphoid tissue lymphoma translocation protein 1; paracaspase; caspase-like protein; MALT associated translocation; MALT lymphoma-associated translocation; MALT-lymphoma associated translocation; MLT1; DKFZp434L132;

Gene ID

[10892](#)

mRNA Refseq

[NM_006785](#)

Protein Refseq

[NP_006776](#)

MIM

[604860](#)

UniProt ID

[Q9UDY8](#)

**Chromosome
Location**

18q21

Pathway

Activation of NF-kappaB in B Cells, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; B cell receptor signaling pathway, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



specific biosystem; B cell receptor signaling pathway, conserved biosystem; BCR signaling pathway, organism-specific biosystem; Canonical NF-kappaB pathway, organism-specific biosystem; Downstream Signaling Events Of B Cell Receptor (BCR), organism-specific biosystem;

Function

cysteine-type endopeptidase activity; contributes_to kinase activator activity; peptidase activity; protein binding; protein self-association; signal transducer activity; ubiquitin-protein ligase activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA