Coenzyme A Assay Kit

Cat. No. Kit-0233 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Coenzyme A Assay Kit is used for measuring the CoA level.
Description	Coenzyme A (CoA) is composed of units derived from cysteine, pantothenic acid, and ATP. It plays important roles in the synthesis and oxidation of fatty acids, pyruvate oxidation in the citric acid cycle and many other biological processes. One of the main functions of CoA is the carrying and transfer of acyl groups. One of the most important acyl groups transferred is the acetate group, in which case the molecule is called acetyl-CoA. The acetyl group eventually finds itself incorporated into a variety of molecules such as cholesterol, acetylcholine, melatonin, heme and the TCA cycle intermediates. We have developed an easy, convenient assay to measure the CoA level in variety biological samples. In the assay, free CoA is specifically utilized to generate products which react with OxiRed Probe to generate color (λ = 570 nm) and fluorescence (Ex=535/Em=587 nm). The assay can detect 0.1 to 10 nmol of CoA (2.5-250 µM concentration range) in a variety of samples.
Target Species	Mammals
Usage	For research use only (RUO)
Storage	Store kit at -20°C, protect from light. Warm CoA Assay Buffer to room temperature before use. Briefly centrifuge all small vials prior to opening.
Kit Components	CoA Assay Buffer 25 mLOxiRed Probe (in DMSO) 0.2 mLConversion Enzyme Mix: lyophilized. 1 vialCoA Substrate 1 mLAcyl CoA Developer: lyophilized. 1 vialCoA

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	Standard (10 μmol): lyophilized. 1 vial
Detection method	Colorimetric, Fluorometric
Compatible Sample Types	Biological Fluid, Cell Lysate, Culture Medium, Plasma, Serum, Tissue Lysate, Urine

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA