

Proteasome Activity Fluorometric Assay Kit

Cat. No. Kit-0724 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Simple one-step procedure; takes only 30-60 minutes Accurate and easy to use
Description	Proteasomes are very large (20S, 26S) protein assemblies found in both the nucleus and cytoplasm of all eucaryotes (and in some procaryotes). They are responsible for the degradation and recycling of proteins which have been previously tagged with ubiquitin. Such tagged proteins are degraded into peptides approximately 7-8 amino acids long which are subsequently further degraded. The 20S assembly is the functional protease structure with chymotrypsin-like, trypsin-like and caspase-like protease activities. Proteasome Activity Assay takes advantage of the chymotrypsin-like activity, utilizing an AMC-tagged peptide substrate which releases free, highly fluorescent AMC in the presence of proteolytic activity. The kit also includes a positive control (Jurkat Cell lysate with significant proteasome activity) and a specific proteasome inhibitor MG-132 which suppresses all proteolytic activity due to proteasomes. This permits differentiation of proteasome activity from other protease activity which may be present in samples.
Applications	Specifically measures proteasome activity from other protease activity present in samples..
Usage	For Research Use Only! Not For Use in Humans
Storage	-20°C

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Size	100 assays
Kit Components	• Proteasome Assay Buffer • Proteasome Substrate (In DMSO) • Proteasome Inhibitor (In DMSO) • AMC Standard (1 mM in DMSO) • Positive Control
Target Species	Mammalian
Detection method	Fluorescence (Ex/Em 350/440nm)
Compatible Sample Types	Whole cell lysates, nuclear and cytoplasmic lysates

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA