

Recombinant Human MAP3K8

Cat. No. MAP3K8-29813TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant fragment, corresponding to amino acids 30-397 of Human MAP3K8, with an N terminal enzyme tag, expressed in Sf9 insect cells.
Species	Human
ProteinLength	30-397 a.a.
Description	This gene is an oncogene that encodes a member of the serine/threonine protein kinase family. The encoded protein localizes to the cytoplasm and can activate both the MAP kinase and JNK kinase pathways. This protein was shown to activate IκB kinases, and thus induce the nuclear production of NF-κB. This protein was also found to promote the production of TNF-α and IL-2 during T lymphocyte activation. This gene may also utilize a downstream in-frame translation start codon, and thus produce an isoform containing a shorter N-terminus. The shorter isoform has been shown to display weaker transforming activity. Alternate splicing results in multiple transcript variants that encode the same protein.
Tissue specificity	Expressed in several normal tissues and human tumor-derived cell lines.
Biological activity	Specific activity: 1012 nmol/min/mg
Form	Liquid
Storage buffer	Preservative: None Constituents: 25% Glycerol, 50mM Tris HCl, 150mM Sodium chloride, 0.25mM DTT, 0.1mM EGTA, 0.1mM EDTA, 0.1mM PMSF, pH 7.5

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequence Similarities	Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. MAP kinase kinase kinase subfamily.Contains 1 protein kinase domain.
GENE INFORMATION	
Gene Name	MAP3K8 mitogen-activated protein kinase kinase kinase 8 [Homo sapiens]
Official Symbol	MAP3K8
Synonyms	MAP3K8; mitogen-activated protein kinase kinase kinase 8; COT, ESTF; c COT; EST; MEKK8; Tpl 2;
Gene ID	1326
mRNA Refseq	NM_001244134
Protein Refseq	NP_001231063
MIM	191195
Uniprot ID	P41279
Chromosome Location	10p11.2
Pathway	Adaptive Immune System, organism-specific biosystem; CD28 co-stimulation, organism-specific biosystem; CD28 dependent PI3K/Akt signaling, organism-specific biosystem; Costimulation by the CD28 family, organism-specific biosystem; Cytokine

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Signaling in Immune system, organism-specific biosystem;

Function

ATP binding; MAP kinase kinase kinase activity; magnesium ion binding; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA