

Active Recombinant Human ERBB2 Protein, DDDDK-tagged

Cat. No. ERBB2-177H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ERBB2 Protein (NP_004439.2, 1-652aa), was expressed in HEK293 cell with C-terminal DDDDK tag.
Species	Human
Source	HEK293
ProteinLength	1-652 aa
Description	This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized.
Predicted N Terminal	Thr 23
Bio-activity	1. Measured by its binding ability in a functional ELISA. Immobilized Human

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Her2/ERBB2 at 2 µg/mL (100 µL/well) can bind Herceptin, the EC50 of Herceptin is 7.0-30.0 ng/mL.

2. Measured by its ability to block anti-ErbB2 mediated inhibition of BT474 human breast ductal carcinoma cell proliferation. The ED50 for this effect is 0.4-2.4 µg/mL in the presence of 0.6 µg/mL Anti-ErbB2/Her2 Monoclonal Antibody.

Molecular Mass 70 kDa

Endotoxin < 1 EU/µg protein as determined by the LAL method.

Purity > 95% by SDS-PAGE

Storage

Samples are stable for up to twelve months from date of receipt at -20 centigrade to -80 centigrade

Store it under sterile conditions at -20 centigrade to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Storage Buffer

Lyophilized from sterile PBS, pH 7.4.

Please contact us for any concerns or special requirements.

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.

Shipping

At ambient temperature.

Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.


GENE INFORMATION


Gene Name ERBB2 erb-b2 receptor tyrosine kinase 2 [Homo sapiens (human)]

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	ERBB2
Synonyms	ERBB2; erb-b2 receptor tyrosine kinase 2; NEU; NGL; HER2; TKR1; CD340; HER-2; MLN 19; HER-2/neu;
Gene ID	2064
mRNA Refseq	NM_004448
Protein Refseq	NP_004439
MIM	164870
UniProt ID	P04626
SDS-PAGE	



Measured by its ability to block anti-ErbB2 mediated inhibition of BT474 human breast ductal carcinoma cell proliferation. The ED50 for this effect is 0.4-2.4 $\mu\text{g/mL}$ in the presence of 0.6 $\mu\text{g/mL}$ Anti-ErbB2/Her2 Monoclonal Antibody.



Measured by its binding ability in a functional ELISA. Immobilized Human Her2/ERBB2 at 2 $\mu\text{g/mL}$ (100 $\mu\text{L/well}$) can bind Herceptin, the EC50 of Herceptin is 7.0-30.0 ng/mL.