

Recombinant Human TNFSF4 protein, Fc-tagged

Cat. No. TNFSF4-490H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNFSF4 protein (Gln51-Leu183) was fused to human IgG1 Fc tag at N-terminus and expressed in human 293 cells (HEK293).
Species	Human
Source	HEK293
ProteinLength	Gln51-Leu183
Description	Tumor necrosis factor ligand superfamily member 4 (TNFSF4) is also known as glycoprotein Gp34, OX40 ligand (OX40L), TAX transcriptionally-activated glycoprotein 1 and CD252, which belongs to the tumor necrosis factor family. TNFSF4 is the ligand for CD134 and is expressed on such cells as DC2s (a subtype of dendritic cells) enabling amplification of Th2 cell differentiation. The interaction of TNFSF4-TNFSF4 is involved in the pathogenesis of multiple autoimmune and inflammatory diseases such as systemic lupus erythematosus (SLE), carotid artery disease and cancer. Furthermore, similar to other TNF superfamily members, membrane-bound OX40 Ligand (TNFSF4) exists as a homotrimer. Human TNFSF4 shares 46% amino acid sequence identity with its mouse counterpart.
Predicted N Terminal	Gly
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4, 10% trehalose.
Molecular Mass	The protein has a calculated MW of 42.4 kDa. The protein migrates as 53-55 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	under reducing (R) condition (SDS-PAGE) due to glycosylation.
Endotoxin	Less than 1.0 EU per µg by the LAL method.
Purity	>90% as determined by SDS-PAGE.
Storage	For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20 to -70 centigrade for 12 months in lyophilized state; -70 centigrade for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION

Gene Name	TNFSF4
Official Symbol	TNFSF4
Synonyms	GP34; CD252; OX40L; TXGP1; CD134L; OX-40L; TNLG2B
Gene ID	7292
mRNA Refseq	NM_003326.5
Protein Refseq	NP_003317.1
MIM	603594

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID


P23510

Bioactivity-ELISA of
TNFSF4-490H



Immobilized Human OX40, His Tag at 0.5 µg/mL (100 µL/well) can bind Human OX40 Ligand, Fc Tag with a linear range of 2-63 ng/mL.

Bioactivity-FACS of
TNFSF4-490H



FACS assay shows that recombinant Human OX40 Ligand, Fc Tag can bind to 293T cell overexpressing human OX40. The concentration of OX40 Ligand used is


Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

0.01 µg/ml.

**SDS-PAGE of
TNFSF4-490H**



Human OX40 Ligand, Fc Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90%.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA