

Recombinant Human STEAP2 protein, GST-tagged

Cat. No. STEAP2-16H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human STEAP2(2 a.a. - 100 a.a.) fused with GST tag at N-terminal was expressed in Wheat Germ.
Species	Human
Source	Wheat Germ
ProteinLength	2-100 a.a.
Description	This gene is a member of the STEAP family and encodes a multi-pass membrane protein that localizes to the Golgi complex, the plasma membrane, and the vesicular tubular structures in the cytosol. A highly similar protein in mouse has both ferrireductase and cupric reductase activity, and stimulates the cellular uptake of both iron and copper in vitro. Increased transcriptional expression of the human gene is associated with prostate cancer progression. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	36.63 kDa
AA Sequence	ESISMMGSPKSLSETVLPNGINGIKDARKVTVGIVGSGDFAKSLTIRLIRCGYHVVIGS RNPKFASEFFPHVVDV THHEDALTKTNIIFVAIHREHYTS
Applications	Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein);

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Antibody Production; Protein Array

Notes Best use within three months from the date of receipt of this protein.

Storage Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

GENE INFORMATION

Gene Name STEAP2 STEAP family member 2, metalloredutase [Homo sapiens]

Official Symbol STEAP2

Synonyms STEAP2; STEAP family member 2, metalloredutase; PCANAP1, prostate cancer associated protein 1 , six transmembrane epithelial antigen of the prostate 2; metalloredutase STEAP2; IPCA 1; STAMP1; STMP; prostate cancer associated protein 1; prostate cancer-associated protein 1; SixTransMembrane Protein of Prostate 1; protein upregulated in metastatic prostate cancer; protein up-regulated in metastatic prostate cancer; six transmembrane epithelial antigen of prostate 2; six-transmembrane epithelial antigen of prostate 2; six transmembrane epithelial antigen of the prostate 2; IPCA1; PUMPCn; PCANAP1;

Gene ID 261729

mRNA Refseq NM_152999

Protein Refseq NP_694544

MIM 605094

UniProt ID Q8NFT2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	7q21.13
Pathway	Mineral absorption, organism-specific biosystem; Mineral absorption, conserved biosystem;
Function	electron carrier activity; flavin adenine dinucleotide binding; iron ion binding; metal ion binding; nucleotide binding; oxidoreductase activity; transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA