

Recombinant Human MAZ protein, GST-tagged

Cat. No. MAZ-325H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human MAZ(332 a.a. - 440 a.a.) fused with GST tag at N-terminal was expressed in Wheat Germ.
Species	Human
Source	Wheat Germ
ProteinLength	332-440 a.a.
Description	The protein encoded by this gene is a member of the basic helix-loop-helix leucine zipper (bHLHZ) family of transcription factors. It is able to form homodimers and heterodimers with other family members, which include Mad, Mxi1 and Myc. Myc is an oncoprotein implicated in cell proliferation, differentiation and apoptosis. The homodimers and heterodimers compete for a common DNA target site (the E box) and rearrangement among these dimer forms provides a complex system of transcriptional regulation. Mutations of this gene have been reported to be associated with hereditary pheochromocytoma. A pseudogene of this gene is located on the long arm of chromosome 7. Alternative splicing results in multiple transcript variants.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	37.73 kDa
AA Sequence	YQCPVCQQRFKRKDRMSYHVRSHDGAVHKPYNC SHCGKSFSRDPHLNSHVRQVH STERPFKCEKCEAAAFATKDRL RAHTVRHEEKVPCHVCGKMLSSAYISDHMKVHSQ

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein); Antibody Production; Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
GENE INFORMATION	
Gene Name	MAX MYC associated factor X [Homo sapiens]
Official Symbol	MAX
Synonyms	MAX; MYC associated factor X; MAX protein; protein max; bHLHd4; bHLHd5; bHLHd6; bHLHd7; bHLHd8; helix-loop-helix zipper protein; class D basic helix-loop-helix protein 4; orf1; MGC10775; MGC11225; MGC18164; MGC34679; MGC36767;
Gene ID	4149
mRNA Refseq	NM_002382
Protein Refseq	NP_002373
MIM	154950
UniProt ID	P61244
Chromosome Location	14q23
Pathway	C-MYC pathway, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Cell Cycle, Mitotic, organism-specific biosystem; Cyclin A:Cdk2-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

associated events at S phase entry, organism-specific biosystem; Cyclin E associated events during G1/S transition, organism-specific biosystem; G1/S Transition, organism-specific biosystem; MAPK signaling pathway, organism-specific biosystem;

Function

protein binding; protein complex binding; protein heterodimerization activity; protein homodimerization activity; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; transcription coactivator activity; transcription cofactor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA