

Recombinant Human HIF1A protein, GST-tagged

Cat. No. HIF1A-198H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human HIF1A(574-799aa) fused with GST tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	574-799aa
Form	Protein lyophilized in sterile PBS (58 mM Na ₂ HPO ₄ , 17 mM NaH ₂ PO ₄ , 68 mM NaCl, 100 mM GSH, pH 8.0). Trehalose (5-8%) and mannitol (5-8%) protectants were added before lyophilization.
AA Sequence	LRSFDQLSPLESSSASPESASPQSTVTVFQQTQIQEPTANATTTTATTDDELKTVTKD RMEDIKILIASPSPTHIH KETTSATSSPYRDTQSRTASPNRAGKGVIEQTEKSHPRSP NVLSVALSQRTTVPEEELNPKILALQNAQRKRKME HDGSLFQAVGIGITLLQQPDDH AATTSLSWKRVKGCKSSEQNGMEQKTIILIPSDLACRLLGQSMDESGLPQLTSY D
Purity	> 90%, by SDS-PAGE with Coomassie Brilliant Blue staining.
Storage	Store for up to 12 months at -20 centigrade to -80 centigrade as lyophilized powder.Storage of Reconstituted Protein:Short-term storage: Store at 2-8 centigrade for two weeks.Long-term storage: Aliquot and store at -20 centigrade to -80 centigrade for up to 6 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution

Reconstitute at 0.25 g/μl in 200 μl sterile water for short-term storage. Reconstitution with 200 μl 50% glycerol solution is recommended for longer term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature.

GENE INFORMATION

Gene Name HIF1A hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor) [Homo sapiens]

Official Symbol HIF1A

Synonyms HIF1A; hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor); hypoxia-inducible factor 1-alpha; bHLHe78; HIF 1alpha; HIF1; MOP1; PASD8; HIF-1-alpha; member of PAS protein 1; ARNT interacting protein; ARNT-interacting protein; member of PAS superfamily 1; PAS domain-containing protein 8; basic-helix-loop-helix-PAS protein MOP1; class E basic helix-loop-helix protein 78; hypoxia-inducible factor 1 alpha isoform I.3; hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor); HIF-1alpha; HIF1-ALPHA;

Gene ID 3091

mRNA Refseq NM_001243084

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_001230013
MIM	603348
UniProt ID	Q16665
Chromosome Location	14q23.2
Pathway	Adipogenesis, organism-specific biosystem; Angiogenesis, organism-specific biosystem; Circadian Clock, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem; Hypoxic and oxygen homeostasis regulation of HIF-1-alpha, organism-specific biosystem; NOTCH1 Intracellular Domain Regulates Transcription, organism-specific biosystem; Notch-mediated HES/HEY network, organism-specific biosystem;
Function	Hsp90 protein binding; histone acetyltransferase binding; histone deacetylase binding; protein binding; protein heterodimerization activity; protein heterodimerization activity; protein kinase binding; contributes_to sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; contributes_to sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; signal transducer activity; transcription factor binding; transcription regulatory region DNA binding;