

Recombinant Human ESR1 protein, His-tagged

Cat. No. ESR1-28402TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ESR1(Ser178~Met438) fused with His tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Ser178~Met438
Description	This gene encodes an estrogen receptor, a ligand-activated transcription factor composed of several domains important for hormone binding, DNA binding, and activation of transcription. The protein localizes to the nucleus where it may form a homodimer or a heterodimer with estrogen receptor 2. Estrogen and its receptors are essential for sexual development and reproductive function, but also play a role in other tissues such as bone. Estrogen receptors are also involved in pathological processes including breast cancer, endometrial cancer, and osteoporosis. Alternative promoter usage and alternative splicing result in dozens of transcript variants, but the full-length nature of many of these variants has not been determined.
Form	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Molecular Mass	33.4 kDa
Endotoxin	<1.0EU per 1g (determined by the LAL method)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90%
Applications	SDS-PAGE; WB; ELISA; IP
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Preservative	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Reconstitution	Reconstitute in PBS or others.

GENE INFORMATION

Gene Name	ESR1 estrogen receptor 1 [Homo sapiens]
Official Symbol	ESR1
Synonyms	ESR1; estrogen receptor 1; ESR; estrogen receptor; Era; NR3A1; ER-alpha; estradiol receptor; estrogen nuclear receptor alpha; estrogen receptor alpha delta 4 +49 isoform; nuclear receptor subfamily 3 group A member 1; estrogen receptor alpha 3*,4,5,6,7*/822 isoform; estrogen receptor alpha delta 4*,5,6,7*/654 isoform; estrogen receptor alpha delta 4*,5,6,7,8*/901 isoform; estrogen receptor alpha delta 3*,4,5,6,7*/819-2 isoform; estrogen receptor alpha delta 3*,4,5,6,7*,8*/941 isoform; ER; ESRA; DKFZp686N23123;
Gene ID	2099
mRNA Refseq	NM_000125

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_000116
MIM	
UniProt ID	P03372
Chromosome Location	6q24-q27
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, organism-specific biosystem; Endocrine and other factor-regulated calcium reabsorption, conserved biosystem; Estrogen signaling pathway, organism-specific biosystem; FOXA1 transcription factor network, organism-specific biosystem; FOXM1 transcription factor network, organism-specific biosystem; Gene expression, organism-specific biosystem;
Function	DNA binding; beta-catenin binding; chromatin binding; core promoter sequence-specific DNA binding; enzyme binding; enzyme binding; estrogen receptor activity; estrogen receptor activity; estrogen response element binding; hormone binding; identical protein binding; ligand-activated sequence-specific DNA binding RNA polymerase II transcription factor activity; metal ion binding; nitric-oxide synthase regulator activity; protein binding; protein complex binding; receptor activity; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific DNA binding transcription factor activity; steroid binding; steroid hormone receptor activity; steroid hormone receptor activity; transcription factor binding; type 1 metabotropic glutamate receptor binding; zinc ion binding;