

Recombinant Human CXCR2 HEK293T cell lysate

Cat. No. CXCR2-22HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CXCR2, transcript variant 1, over-expression lysate was derived from Human HEK293T cell line.
Species	Human
Source	HEK293
Form	The cell lysate is provided in RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix (Sigma), 1mM PMSF and 1mM Na3VO4).
Molecular Mass	40.6 kDa
Usage	1 vial of 100 g gene specific transient over-expression cell lysate in RIPA buffer 1 vial of 100 g empty vector transfected control cell lysate in RIPA buffer 1 vial of 250ul 2xSDS Sample Buffer (4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromphenol blue, 100mM DTT)
Storage	The lysate is shipped with dry ice. Upon receiving, store the sample at -20centigrade. Lysate samples are stable for 12 months from date of receipt when stored at - 20centigrade. Avoid repeated freeze-thaw cycles. Lysate samples can be diluted with 2xSDS Sample Buffer provided. After dilution, the protein sample should be aliquoted and stored at -20centigrade for long term storage. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name	CXCR2 chemokine (C-X-C motif) receptor 2 [Homo sapiens]
Official Symbol	CXCR2
Synonyms	CXCR2; chemokine (C-X-C motif) receptor 2; IL8RB, interleukin 8 receptor, beta; C-X-C chemokine receptor type 2; CD182; CMKAR2; CXC-R2; CXCR-2; IL-8R B; GRO/MGSA receptor; IL-8 receptor type 2; interleukin 8 receptor B; chemokine (CXC) receptor 2; interleukin 8 receptor, beta; interleukin 8 receptor type 2; interleukin-8 receptor type B; CXCR2 gene for IL8 receptor type B; high affinity interleukin-8 receptor B; IL8R2; IL8RA; IL8RB; CDw128b;
Gene ID	3579
mRNA Refseq	NM_001168298
Protein Refseq	NP_001161770
MIM	146928
UniProt ID	P25025
Chromosome Location	2q35
Pathway	Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway, conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Endocytosis, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

specific biosystem;

Function

C-X-C chemokine receptor activity; G-protein coupled receptor activity; interleukin-8 binding; interleukin-8 receptor activity; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA