

Recombinant Human AR protein, His/Sumo/Myc-tagged

Cat. No. AR-992H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human AR(551-919aa) fused with His-sumo tag at N-terminal and Myc tag at C-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	551-919aa
Description	The androgen receptor gene is more than 90 kb long and codes for a protein that has 3 major functional domains: the N-terminal domain, DNA-binding domain, and androgen-binding domain. The protein functions as a steroid-hormone activated transcription factor. Upon binding the hormone ligand, the receptor dissociates from accessory proteins, translocates into the nucleus, dimerizes, and then stimulates transcription of androgen responsive genes. This gene contains 2 polymorphic trinucleotide repeat segments that encode polyglutamine and polyglycine tracts in the N-terminal transactivation domain of its protein. Expansion of the polyglutamine tract causes spinal bulbar muscular atrophy (Kennedy disease). Mutations in this gene are also associated with complete androgen insensitivity (CAIS). Two alternatively spliced variants encoding distinct isoforms have been described.
Form	Tris-based buffer,50% glycerol
Purity	>90% (SDS-PAGE)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Store at -20 centigrade, for extended storage, conserve at -20 centigrade or -80 centigrade.

GENE INFORMATION
Gene Name

AR androgen receptor [Homo sapiens]

Official Symbol

AR

Synonyms

AR; androgen receptor; DHTR, dihydrotestosterone receptor , SBMA, spinal and bulbar muscular atrophy; AIS; HUMARA; Kennedy disease; NR3C4; SMAX1; testicular feminization; dihydrotestosterone receptor; androgen nuclear receptor variant 2; nuclear receptor subfamily 3 group C member 4; KD; TFM; DHTR; SBMA; HYSP1;

Gene ID

367

mRNA Refseq

NM_000044

Protein Refseq

NP_000035

MIM

313700

UniProt ID

P10275

Chromosome Location

Xq12

Pathway

Alpha6-Beta4 Integrin Signaling Pathway, organism-specific biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Coregulation of Androgen receptor activity, organism-specific biosystem; FOXA1 transcription factor network,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Gene expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; IL-6 Signaling Pathway, organism-specific biosystem;

Function

DNA binding; DNA binding; POU domain binding; androgen binding; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor binding; beta-catenin binding; beta-catenin binding; beta-catenin binding; chromatin binding; enzyme binding; ligand-activated sequence-specific DNA binding RNA polymerase II transcription factor activity; metal ion binding; protein binding; protein dimerization activity; receptor activity; receptor binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; steroid binding; transcription factor binding; transcription regulatory region DNA binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA