

Active Recombinant Human PLG Protein

Cat. No. PLG-67H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PLG Protein extracellular domain 530-790aa (signal peptide removed), fused with no tag, was expressed in Pichia.
Species	Human
Source	P.pastoris
ProteinLength	530-790 a.a.
Description	Plasmin dissolves the fibrin of blood clots and acts as a proteolytic factor in a variety of other processes including embryonic development, tissue remodeling, tumor invasion, and inflammation. In ovulation, weakens the walls of the Graafian follicle. It activates the urokinase-type plasminogen activator, collagenases and several complement zymogens, such as C1 and C5. Cleavage of fibronectin and laminin leads to cell detachment and apoptosis. It can also cleave fibrin, thrombospondin and von Willebrand factor. Its role in tissue remodeling and tumor invasion may be modulated by CSPG4.
Predicted N Terminal	Tyr 530
Form	Lyophilized from sterile PBS, pH 7.4.
Bio-activity	Measured by its binding ability in a functional ELISA.
Molecular Mass	The recombinant mature microplasminogen consists of 261 amino acids and has a

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	calculated molecular mass of 28.5 KD.
Endotoxin	<1.0EU/ug, LAL method
Purity	>95% (SDS-PAGE)
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	Store it under sterile conditions at -20°C~-70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION

Gene Name	PLG plasminogen [Homo sapiens]
Official Symbol	PLG
Synonyms	PLG; plasminogen; plasmin; DKFZp779M0222;
Gene ID	5340
mRNA Refseq	NM_001168338
Protein Refseq	NP_001161810
MIM	173350
UniProt ID	P00747

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	6q26
Pathway	Activation of Matrix Metalloproteinases, organism-specific biosystem; Angiopoietin receptor Tie2-mediated signaling, organism-specific biosystem; Blood Clotting Cascade, organism-specific biosystem; Complement and Coagulation Cascades, organism-specific biosystem; Complement and coagulation cascades, organism-specific biosystem; Complement and coagulation cascades, conserved biosystem; Degradation of the extracellular matrix, organism-specific biosystem;
Function	apolipoprotein binding; cell surface binding; peptidase activity; protein binding; protein domain specific binding; serine-type endopeptidase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA