

Recombinant Mouse Tnfrsf13c protein, His/S-tagged

Cat. No. Tnfrsf13c-217M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Tnfrsf13c fused with His/S tag was expressed in E. coli.
Species	Mouse
Source	E.coli
Description	BAFF Receptor (BAFF-R), a member of the TNFR superfamily, is highly expressed in spleen, lymph node, and resting B cells and to some extent in activated B cells, resting CD4+ cells and peripheral blood leukocytes. BAFF-R is a type III transmembrane protein that binds with high specificity to BAFF (TNFSF13B). BAFF-R/BAFF signaling plays a critical role in B cell survival and maturation.
Form	Lyophilized from sterile PBS, pH 7.4
Purity	> 95 % as determined by SDS-PAGE
Storage	Store at -70 centigrade. Avoid repeated freeze/thaw cycles.

GENE INFORMATION

Gene Name	Tnfrsf13c tumor necrosis factor receptor superfamily, member 13c [Mus musculus]
Official Symbol	Tnfrsf13c
Synonyms	TNFRSF13C; tumor necrosis factor receptor superfamily, member 13c; tumor

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	necrosis factor receptor superfamily member 13C; BAFF receptor; BLyS receptor 3; B-cell maturation defect 1; B-cell-activating factor receptor; b cell-activating factor receptor; Bcmd; Baffr; Bcmd1; BAFF-R; Bcmd-1; Lvis22; 2010006P15Rik; MGC123890; MGC123891;
Gene ID	72049
mRNA Refseq	NM_028075
Protein Refseq	NP_082351
UniProt ID	Q9D8D0
Chromosome Location	15; 15 E1
Pathway	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; HTLV-I infection, organism-specific biosystem; HTLV-I infection, conserved biosystem; Intestinal immune network for IgA production, organism-specific biosystem; Intestinal immune network for IgA production, conserved biosystem; Primary immunodeficiency, organism-specific biosystem;
Function	receptor activity;