

Recombinant Active Human EGFR (d746-750 S768I) Mutant Protein, GST-tagged

Cat. No. EGFR-22H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human EGFR Protein (d746-750 deletion/S768I mutation, 668-end aa), was expressed in Sf9 insect cells (via baculovirus) with N-terminal GST tag.
Species	Human
Source	Insect Cells
ProteinLength	668-end a.a.
Description	The protein encoded by this gene is a transmembrane glycoprotein that is a member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor, thus inducing receptor dimerization and tyrosine autophosphorylation leading to cell proliferation. Mutations in this gene are associated with lung cancer. EGFR is a component of the cytokine storm which contributes to a severe form of Coronavirus Disease 2019 (COVID-19) resulting from infection with severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2).
Molecular Mass	Approx 89~100 kDa
Purity	> 80%
Stability	One year at -70 centigrade from data of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store product at –70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Concentration	0.05 µg/µL
Storage Buffer	Recombinant protein stored in 50 mM Tris-HCl, pH 7.5, 150 mM NaCl, 10 mM glutathione, 0.1 mM EDTA, 0.25 mM DTT, 25% glycerol.
Shipping	Dry ice
GENE INFORMATION	
Gene Name	EGFR epidermal growth factor receptor [Homo sapiens (human)]
Official Symbol	EGFR
Synonyms	EGFR; epidermal growth factor receptor; ERBB; ERBP; HER1; mENA; ERBB1; PIG61; NISBD2; epidermal growth factor receptor; EGFR vIII; avian erythroblastic leukemia viral (v-erb-b) oncogene homolog; cell growth inhibiting protein 40; cell proliferation-inducing protein 61; epidermal growth factor receptor tyrosine kinase domain; erb-b2 receptor tyrosine kinase 1; proto-oncogene c-ErbB-1; receptor tyrosine-protein kinase erbB-1; EC 2.7.10.1
Gene ID	1956
mRNA Refseq	NM_005228
Protein Refseq	NP_005219
MIM	131550

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID


P00533

Specific Activity



The specific activity of EGFR (d746-750 S768I) was determined to be 22 nmol/min/mg as per activity assay protocol.

Purity



The purity of EGFR (d746-750 S768I) was determined to be >80 % by densitometry.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA