

Recombinant Human Pyruvate dehydrogenase kinase, isozyme 1, His-tagged

Cat. No. PDK1-123H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human PDK1 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques, 48.6 kDa (429 aa).
Species	Human
Source	E.coli
Description	PDK1 (pyruvate dehydrogenase kinase isoform 1) is involved in the regulation of enzymatic activity of mammalian pyruvate dehydrogenase (PDH) that is a part of a mitochondrial multienzyme complex to catalyze the oxidative decarboxylation of pyruvate and is one of the major enzymes responsible for the regulation of homeostasis of carbohydrate fuels in mammals. PDK1 has been found to serve as an effective therapeutic target for inhibition of glioblastoma growth.
Sequences of amino acids	MGSSHHHHHH SSGLVPRGSH MSSDSGSSPA SERGVPGQVD FYARFSPSPL SMKQFLDFGS VNACEKTSFM FLRQELPVRL ANIMKEISLL PDNLLRTPSV QLVQSWYIQS LQELLDKFDK SAEDAKAIYD FTDTVIRIRN RHNDVIPTMA QGVIEYKESF GVDPVTSQNV QYFLDRFYMS RISIRMLLNQ HSLFLGGKKG GSPSHRKHIG SINPNCNVLE VIKDGYENAR RLCDLYYINS PELELEELNA KSPGQPIQVV YVPSHLYHVM FELFKNAMRA TMEHHANRGV YPPIQVHVT LNEDLTVKMS DRGGGVPLRK IDRLFNMYMS TAPRPRVETS RAVPLAGFGY GLPISRLYAQ YFQGDCLKLYS LEGYGTDVAI YIKALSTDSI ERLPVYNKAA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	WKHYNTNHEA DDWCVPSREP KDMTTFRSA
Formulation	Liquid. In 20 mM Tris-HCl buffer (pH 7.0) containing 100 mM NaCl, 0.5 mM DTT, 0.1 mM EDTA, 0.1 mM PMSF, 1 mM MgCl ₂ , 40% glycerol
Purity	> 95% by SDS - PAGE
Concentration	0.5 mg/ml (determined by Bradford assay)
Storage	Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
GENE INFORMATION	
Gene Name	PDK1 pyruvate dehydrogenase kinase, isozyme 1 [Homo sapiens]
Synonyms	EC 2.7.11.2; PDPK1; Pyruvate dehydrogenase kinase isoform 1; mitochondrial pyruvate dehydrogenase, lipoamide, kinase isoenzyme 1; pyruvate dehydrogenase kinase 1; pyruvate dehydrogenase kinase, isoenzyme 1; pyruvate dehydrogenase kinase, isozyme 1; PDK1; [Pyruvate dehydrogenase [lipoamide]] kinase isozyme 1, mitochondrial
Gene ID	5163
mRNA Refseq	NM_002610
Protein Refseq	NP_002601
MIM	602524
UniProt ID	Q15118

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	2q31.1
Pathway	Fc epsilon RI signaling pathway; T cell receptor signaling pathway; Integration of energy metabolism
Function	ATP binding; nucleotide binding; pyruvate dehydrogenase (acetyl-transferring) kinase activity; transferase activity; two-component sensor activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA