

Recombinant Human PAM

Cat. No. PAM-30777TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Human PAM isoform 2 , with N terminal proprietary tag; Predicted MW 121.26kDa.
Species	Human
Source	Wheat Germ
ProteinLength	866 amino acids
Description	This gene encodes a multifunctional protein. It has two enzymatically active domains with catalytic activities - peptidylglycine alpha-hydroxylating monooxygenase (PHM) and peptidyl-alpha-hydroxyglycine alpha-amidating lyase (PAL). These catalytic domains work sequentially to catalyze neuroendocrine peptides to active alpha-amidated products. Multiple alternatively spliced transcript variants encoding different isoforms have been described for this gene but some of their full length sequences are not yet known.
Molecular Weight	121.260kDa inclusive of tags
Form	Liquid
Purity	Proprietary Purification
Storage buffer	pH: 8.00Constituents:0.3% Glutathione, 0.79% Tris HCl

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	MAGRVPSLLVLLVFPSSCLAFRSPLSVFKRFKETTRPFSN ECLGTTRPVVPIDSSDF ALDIRMPGVTPKQSDTYFCMSMR IPVDEEAFVIDFKPRASMDTVHHMLLFGCNMPS STGSYWF CDEGTCTDKANILYAWARNAPTRLPGVGFRVGGGETGSK YFVLQVH YGDISAFRDNNKDCSGVSLHLTRLQPPLIAGMY LMMSVDTVIPAGEKVVNSDISCHY KNYPMHVFAYRVHTHH LGKVVSGYRVRNGQWTLIGRQSPQLPQAFYPVGHVPDV SF GDLLAARCVFTGEGRTEATHIGGTSSDEMCNLYIMYYMEA KHAVSFMTCTQNV APDMFRTIPPEANIPIPVKSDMMVMHE HHKETEYKDKIPLLQPKREEEEVLDQDFH MEEALDWPGV YLLPGQVSGVALDPKNNLVIFHRGDHVWDGNSFDSKFVYQ QIGL GPIEEDTILVIDPNNAAVLQSSGKNLFYLPHGLSID KDGNYWVTDVALHQVFKLDPN NKEGPVLILGRSMQPGSDQ NHFCQPTDVAVDPGTGAIYVSDGYCNSRIVQFSPSG KFIT QWGEESSGSSPLPGQFTVPHSLALVPLLQQLCVADRENGR IQCFKTDTKEFV REIKHSSFGRNVFAISYIPGLLFAVNGK PHFGDQEPVQGFVMNFSNGEIIDIFKPVRK HFDMPHDIVA SEDGTVYIGDAHTNTVWKFTLTEKLEHRSVKKAGIEVQEI KEAEAVV ETKMENKPTSSELQKMQEKQKLIKEPGSGVPVV LITLLVIPVVVLLAIAIFIRWKKSR AFGDSEHKLETSSG RVLGRFRGKGSGGLNLGNFFASRKGYSRKGFDRDLSTEGSD QEKEDDGSESEEEYSAPLPALAPSSS
Sequence Similarities	In the C-terminal section; belongs to the peptidyl-alpha-hydroxyglycine alpha-amidating lyase family. In the N-terminal section; belongs to the copper type II ascorbate-dependent monooxygenase family. Contains 5 NHL repeats.

GENE INFORMATION

Gene Name	PAM peptidylglycine alpha-amidating monooxygenase [Homo sapiens]
Official Symbol	PAM

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	PAM; peptidylglycine alpha-amidating monooxygenase; peptidyl-glycine alpha-amidating monooxygenase; PAL; peptidyl alpha hydroxyglycine alpha amidating lyase; peptidylglycine alpha hydroxylating monooxygenase; PHM;
Gene ID	5066
mRNA Refseq	NM_000919
Protein Refseq	NP_000910
MIM	170270
Uniprot ID	P19021
Chromosome Location	5q
Function	L-ascorbic acid binding; copper ion binding; lyase activity; metal ion binding; peptidylamidoglycolate lyase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA