

Recombinant Human TGFB2 protein, Fc-tagged

Cat. No. TGFB2-229H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TGFB2, transcript variant 2, fused with Fc tag at C-terminal was expressed in HEK293.
Species	Human
Source	HEK293
Description	This gene encodes a member of the Ser/Thr protein kinase family and the TGFB receptor subfamily. The encoded protein is a transmembrane protein that has a protein kinase domain, forms a heterodimeric complex with another receptor protein, and binds TGF-beta. This receptor/ligand complex phosphorylates proteins, which then enter the nucleus and regulate the transcription of a subset of genes related to cell proliferation. Mutations in this gene have been associated with Marfan Syndrome, Loeys-Deitz Aortic Aneurysm Syndrome, and the development of various types of tumors. Alternatively spliced transcript variants encoding different isoforms have been characterized
Form	Lyophilized from a 0.2 M filtered solution of 20mM PB, 150mM NaCl, pH7.2
Molecular Mass	42.6kD
AA Sequence	TIPPHVQKSVNNDMIVTDNNGAVKFPQLCKFCDVRFSTCDNQKSCMSNCSITSICEK PQEVCAVWRKNDENITLETVCHDPKLPYHDFILEDAAAPKCIMKEKKKPGETFFMC SCSSDECNDNIIFSEEYNTSNPDVDDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSV FLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQY

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPP
SREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSGSSFFLYSK
LTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK

Endotoxin Endotoxin level is <0.1 ng/g of protein (<1EU/g).

Purity >95% as determined by SDS-PAGE and Coomassie blue staining

Concentration Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

GENE INFORMATION

Gene Name [TGFB2 transforming growth factor, beta receptor II \(70/80kDa\) \[Homo sapiens \]](#)

Official Symbol [TGFB2](#)

Synonyms TGFB2; transforming growth factor, beta receptor II (70/80kDa); MFS2, transforming growth factor, beta receptor II (70 80kD); TGF-beta receptor type-2; tbetaR-II; TGF-beta receptor type II; TGF-beta type II receptor; TGF-beta receptor type IIB; transforming growth factor-beta receptor type II; transforming growth factor beta receptor type IIC; transforming growth factor, beta receptor II (70/80kDa) isoform 1; transforming growth factor, beta receptor II (70/80kDa) isoform 2; AAT3; FAA3; MFS2; RIIC; LDS1B; LDS2B; TAAD2; TGFR-2; TGFbeta-RII;

Gene ID [7048](#)

mRNA Refseq [NM_003242](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_003233
MIM	190182
UniProt ID	P37173

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA