

Active Recombinant Human PON3 protein(Gly2~Leu354), His-tagged

Cat. No. PON3-594H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human PON3 protein(Gly2~Leu354), fused with N-terminal His tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Gly2~Leu354
Form	20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.
Bio-activity	Paraoxonase 3 (PON3) is secreted into the bloodstream and associates with high-density lipoprotein (HDL). PON3 also rapidly hydrolyzes lactones and can inhibit the oxidation of low-density lipoprotein, a function that is believed to slow the initiation and progression of atherosclerosis. Besides, Paraoxonase 1 (PON1) has been identified as an interactor of PON3, thus a binding ELISA assay was conducted to detect the interaction of recombinant human PON3 and recombinant human PON1. Briefly, PON3 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100uL were then transferred to PON1-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-PON3 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

add 50μ stop solution to the wells and read at 450nm immediately. The binding activity of of PON3 and PON1, and this effect was in a dose dependent manner.

Molecular Mass	43.2kDa
Endotoxin	<1.0EU per 1μg (determined by the LAL method)
Purity	> 98%
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.
Reconstitution	Reconstitute in ddH2O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	PON3 paraoxonase 3 [Homo sapiens]
Official Symbol	PON3
Synonyms	PON3; paraoxonase 3; serum paraoxonase/lactonase 3; paraoxanase-3;
Gene ID	5446
mRNA Refseq	NM_000940
Protein Refseq	NP_000931
MIM	602720
UniProt ID	Q15166

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity




Figure 1. The binding activity of PON3 with PON1.

SDS-PAGE

