

Recombinant Human PSMC3

Cat. No. PSMC3-31224TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Recombinant fragment of Human PSMC3 with an N terminal proprietary tag;
Predicted MWt 36.63 kDa.

Species

Human

Source

Wheat Germ

ProteinLength

100 amino acids

Description

The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes one of the ATPase subunits, a member of the triple-A family of ATPases that have chaperone-like activity. This subunit may compete with PSMC2 for binding to the HIV tat protein to regulate the interaction between the viral protein and the transcription complex. A pseudogene has been identified on chromosome 9.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Weight	36.630kDa inclusive of tags
Form	Liquid
Purity	Proprietary Purification
Storage buffer	pH: 8.00Constituents:0.3% Glutathione, 0.79% Tris HCl
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	MNLLPNIESPVTRQEKMATVWDEAEQDGIGEEVLKMSTEEIIQRTRLLDSEIKIMKSE VLRVTHELQAMKDKIKENSEKIKVNKTLPLYLSNVIELLDVD
Sequence Similarities	Belongs to the AAA ATPase family.
GENE INFORMATION	
Gene Name	PSMC3 proteasome (prosome, macropain) 26S subunit, ATPase, 3 [Homo sapiens]
Official Symbol	PSMC3
Synonyms	PSMC3; proteasome (prosome, macropain) 26S subunit, ATPase, 3; 26S protease regulatory subunit 6A; TBP 1; TBP1;
Gene ID	5702
mRNA Refseq	NM_002804
Protein Refseq	NP_002795

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	186852
Uniprot ID	P17980
Chromosome Location	11p11.2
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; APC/C:Cdc20 mediated degradation of Securin, organism-specific biosystem; APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem; APC/C:Cdh1 mediated degradation of Cdc20 and other APC/C:Cdh1 targeted proteins in late mitosis/early G1, organism-specific biosystem; Activation of APC/C and APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem;
Function	ATP binding; hydrolase activity; nucleoside-triphosphatase activity; nucleotide binding; protein binding;